

DOWNLOAD THE STEGMEIER LLC APP





DOWNLOAD THE STEGNEER LLCAPP



www.stegmeier.com


Toll-Free (800) 382-5430

TABLE OF CONTENTS

| GUNITE/ FIBERGLASS CANTILEVER FORMS | JOINTS |
|---|------------------------------------|
| Regular | Poli-Void |
| Regular w/ Plumb Strip 14 | Boss Joint Sealant |
| Deep Regular 3 | Frontier Deck Joint |
| 6" Regular 2 | Rigid Deck Joint |
| Capstone 2 | Rigid Hold 26 |
| Capstone w/ Plumb Strip 14 | Nose Caps |
| 6" Capstone | |
| Intermediate | DRAINS |
| Intermediate w/ Plumb Strip | |
| Sandstone Form | Deck Drain |
| Commercial Form | Channel Drain |
| OG Form | Super Drain |
| Classic Roman | Frontier Deck Drain |
| Stamp-A-Form | Treadmaster Commercial |
| Stamp-A-Form with Nail-On Ledger 4 | Flowmaster Commercial Deck Drain |
| Texturit Form and Liner | Flowmaster A/T Drain |
| Child Safety Grip Form | Flowmaster 3 Commercial Deck Drain |
| Child Safety Grip Tools | Flowmaster 3 A/T Drain |
| Fiber-Optic Regular | Adjustable Height Paver Drain |
| Fiber-Optic Regular | Paver Drain A/T |
| Pool Cover Form | Mini Paver Drain |
| | Paver Drain Pro |
| Pool Cover Form II | Flush Mount Paver Drain 34 |
| Pool Cover Form E | Drain Fittings 34-36 |
| Preformed Corners 8 | Drain Extender Kit |
| VINYL LINER CANTILEVER FORMS | Drain Dowels4 |
| | |
| Clip-Loc | RENOVATION PRODUCTS |
| Regular, Capstone and Intermediate with Liner Track 9 | Re-Cover Drain |
| Clip-Loc & Dual Aluminum Track | Re-Cover Drain II |
| Regular, Capstone and Intermediate | Re-Cover Super Drain |
| Perim-A-Lite Regular 11 | Re-Cover Channel Drain |
| Perim-A-Lite Capstone | Renovation Forms |
| Liner Pool Cover Form | Resin Rock, Deep Resin Rock |
| Cantilever Step Kit | Renovation Fiber-Optic |
| Dual Aluminum Liner Track | Renovation Tile Strip |
| Aluminum Liner Track | Re-Cover Strip |
| Liner Track | Re-Cover Strip II |
| | Deck Renew |
| FORMING & FINISHING ITEMS | Touch-Up Kit |
| Encapsulated Form Adapter | 10uch-υρ κιι 4 |
| 1" and 1 3/4" Extender Strip | ADDITIONAL ITEMS |
| | |
| Filler Strip | Frontier Bonding Agent 42 |
| No Gum Tape | Frontier Desert Seal |
| Plumb Strip | Fiber-Optic II Receiver |
| Removable Plumb Strip | Cantilever Step Kit 43 |
| Step Ledger | S-Clip |
| Foam Profile Edging Tools | Tie Wire Side Kit |
| Stainless Steel Trowels | Plumb Strip Side Kit 44 |
| Total Edge Tools | Tile Strip |
| Tile Ledger Board | Tile Strip Flex |
| Slip-N-Join Lumber | Release Agent |
| Dash Brush | Quick Reference |
| Specialty Trowels | Cantilever Profile Examples |
| Chamfer Clips | Frontier Desert Deck |
| Wall Cap Forms | |
| Countertop Forms | |
| Backsplash Forms | |

REGULAR

Poured in Place "Cantilever Forms" (Gunite/Fiberglass)




| PACKAGED 112' PER CARTON | | |
|---|--------|--|
| DESCRIPTION | PART# | |
| Regular Form Only | 1CF000 | |
| Regular Form - No Tie Wire - White Tile Strip | 1CF011 | |
| Regular Form - Tie Wire - No Tile Strip | 1CF111 | |
| Regular Form - Tie Wire - White Tile Strip | 1CF112 | |
| Regular Form - Tie Wire - Grey Tile Strip | 1CF122 | |
| Regular Form - Tie Wire - Tan Tile Strip | 1CF132 | |
| Regular Form - Tie Wire - Black Tile Strip | 1CF162 | |

AVAILABLE WITH PLUMB STRIP (For Fiberglass Pools)
See page 14

6" REGULAR

Poured in Place "Cantilever Forms" (Gunite/Fiberglass)



| PACK | AGEL | 90, | PEK | CARI | ON |
|------|------|-----|-----|------|----|
| | | | | | |


| DESCRIPTION | | PART # |
|--|---|---------|
| 6" Regular Form Only | | 61CF000 |
| 6" Regular Form - No Tie Wire - White Tile Strip | | 61CF011 |
| 6" Regular Form - Tie Wire - No Tile Strip | * | 61CF111 |
| 6" Regular Form - Tie Wire - White Tile Strip | * | 61CF112 |
| 6" Regular Form - Tie Wire - Grey Tile Strip | * | 61CF122 |
| 6" Regular Form - Tie Wire - Tan Tile Strip | * | 61CF132 |
| 6" Regular Form - Tie Wire - Black Tile Strip | * | 61CF162 |

^{*} Includes 2 Tie Wire Side Kits

Check local building codes before using this product.

CAPSTONE

Poured in Place "Cantilever Forms" (Gunite/Fiberglass)




| PACKAGED 112' PER CARTON | | |
|--|--------|--|
| DESCRIPTION | PART # | |
| Capstone Form Only | 9CF000 | |
| Capstone Form - No Tie Wire - White Tile Strip | 9CF011 | |
| Capstone Form - Tie Wire - No Tile Strip | 9CF111 | |
| Capstone Form - Tie Wire - White Tile Strip | 9CF112 | |
| Capstone Form - Tie Wire - Grey Tile Strip | 9CF122 | |
| Capstone Form - Tie Wire - Tan Tile Strip | 9CF132 | |
| Capstone Form - Tie Wire - Black Tile Strip | 9CF162 | |

AVAILABLE WITH PLUMB STRIP (For Fiberglass Pools)
See page 14

6" CAPSTONE

Poured in Place "Cantilever Forms" (Gunite/Fiberglass)



| PACKAGED | 80. | PEK | CARI | ON |
|----------|-----|-----|------|----|
| | | | | |
| | | | | |


| DESCRIPTION | PART # |
|---|---------|
| 6" Capstone Form Only | 69CF000 |
| 6" Capstone Form - No Tie Wire - White Tile Strip | 69CF011 |
| 6" Capstone Form - Tie Wire - No Tile Strip * | 69CF111 |
| 6" Capstone Form - Tie Wire - White Tile Strip * | 69CF112 |
| 6" Capstone Form - Tie Wire - Grey Tile Strip * | 69CF122 |
| 6" Capstone Form - Tie Wire - Tan Tile Strip * | 69CF132 |
| 6" Capstone Form - Tie Wire - Black Tile Strip * | 69CF162 |

^{*} Includes 2 Tie Wire Side Kits

Check local building codes before using this product.

DEEP REGULAR

Poured in Place "Cantilever Forms" (Gunite)




| PACKAGED 96' PER CARTON | | | |
|--|---------|--|--|
| DESCRIPTION | PART # | | |
| Deep Regular Form Only | 12CF000 | | |
| Deep Regular Form - No Tie Wire - White Tile Strip | 12CF011 | | |
| Deep Regular Form - Tie Wire - No Tile Strip * | 12CF111 | | |
| Deep Regular Form - Tie Wire - White Tile Strip * | 12CF112 | | |
| Deep Regular Form - Tie Wire - Grey Tile Strip * | 12CF122 | | |
| Deep Regular Form - Tie Wire - Tan Tile Strip * | 12CF132 | | |
| Deep Regular Form - Tie Wire - Black Tile Strip * | 12CF162 | | |

^{*} Includes 2 Tie Wire Side Kits

INTERMEDIATE

Poured in Place "Cantilever Forms" (Gunite/Fiberglass)




| PACKAGED 112' PER CARTON | | | |
|--|--------|--|--|
| DESCRIPTION | PART # | | |
| Intermediate Form Only | 2CF000 | | |
| Intermediate Form - No Tie Wire - White Tile Strip | 2CF011 | | |
| Intermediate Form - Tie Wire - No Tile Strip | 2CF111 | | |
| Intermediate Form - Tie Wire - White Tile Strip | 2CF112 | | |
| Intermediate Form - Tie Wire - Grey Tile Strip | 2CF122 | | |
| Intermediate Form - Tie Wire - Tan Tile Strip | 2CF132 | | |
| Intermediate Form - Tie Wire - Black Tile Strip | 2CF162 | | |

AVAILABLE WITH PLUMB STRIP (For Fiberglass Pools)
See page 14

SANDSTONE FORM

Poured in Place "Cantilever Forms" (Gunite)




PACKAGED 80' PER CARTON

| DESCRIPTION | | PART # |
|---|---|---------|
| Sandstone Form Only | | 17CF000 |
| Sandstone Form - No Tie Wire - White Tile Strip | | 17CF011 |
| Sandstone Form - Tie Wire - No Tile Strip | * | 17CF111 |
| Sandstone Form - Tie Wire - White Tile Strip | * | 17CF112 |
| Sandstone Form - Tie Wire - Grey Tile Strip | * | 17CF122 |
| Sandstone Form - Tie Wire - Tan Tile Strip | * | 17CF132 |
| Sandstone Form - Tie Wire - Black Tile Strip | * | 17CF162 |

^{*} Includes 2 Tie Wire Side Kits

OG FORM

Poured in Place "Cantilever Forms" (Gunite)




PACKAGED 80' PER CARTON

| DESCRIPTION | PART # |
|--|---------|
| OG Form - Form only | 20CF000 |
| OG Form - No Tie Wire - White Tile Strip | 20CF011 |
| OG Form - Tie Wire - No Tile Strip * | 20CF111 |
| OG Form - Tie Wire - White Tile Strip * | 20CF80 |
| OG Form - Tie Wire - Grey Tile Strip * | 20CF122 |
| OG Form - Tie Wire - Tan Tile Strip * | 20CF132 |
| OG Form - Tie Wire - Black Tile Strip * | 20CF162 |

^{*} Includes 2 Tie Wire Side Kits

COMMERCIAL FORM

Poured in Place "Cantilever Forms" (Gunite)




| PACKAGED 80' PER CARTON | | | |
|---|--------|--|--|
| DESCRIPTION | PART # | | |
| Commercial Form Only | 3CF000 | | |
| Commercial Form - Tie Wire - No Tile Strip * | 3CF111 | | |
| Commercial Form - Tie Wire - White Tile Strip * | 3CF80 | | |
| Commercial Form - Tie Wire - Tan Tile Strip * | 3CF802 | | |
| Commercial Form - Tie Wire - Black Tile Strip * | 3CF803 | | |
| Commercial Form - Tie Wire - Grey Tile Strip * | 3CF805 | | |

^{*} Includes 2 Tie Wire Side Kits

CLASSIC ROMAN


Poured in Place "Cantilever Forms" (Gunite/Fiberglass)



| PACKAGED 112' PER CARTON | | |
|---|---------|--|
| DESCRIPTION | PART # | |
| Classic Roman Form Only | 21CF000 | |
| Classic Roman Form - No Tie Wire - White Tile Strip | 21CF011 | |
| Classic Roman Form - Tie Wire - No Tile Strip | 21CF111 | |
| Classic Roman Form - Tie Wire - White Tile Strip | 21CF112 | |
| Classic Roman Form - Tie Wire - Grey Tile Strip | 21CF122 | |
| Classic Roman Form - Tie Wire - Tan Tile Strip | 21CF132 | |
| Classic Roman Form - Tie Wire - Black Tile Strip | 21CF162 | |

STAMP-A-FORM

Poured in Place "Cantilever Forms" (Gunite)




| PACKAGED 96' PER CARTON | | |
|--|---------|--|
| DESCRIPTION | PART # | |
| Stamp-A-Form - Tie Wire - White Tile Strip | 10CF112 | |
| Stamp-A-Form - Tie Wire - Grey Tile Strip | 10CF122 | |
| Stamp-A-Form - Tie Wire - Tan Tile Strip | 10CF132 | |
| Stamp-A-Form - Tie Wire - Black Tile Strip | 10CF162 | |

This form is designed to be used when pouring stamped concrete. The two-piece design allows the contractor to leave the ledger portion in place while removing the form early enough to stamp the face.

STAMP-A-FORM with Nail-On Ledger

Poured in Place "Cantilever Forms" (Gunite)




| PACKAGED112' PER CARTON | |
|---|---------|
| DESCRIPTION | PART # |
| Stamp-A-Form With Nail-On Ledger - Tie Wire | 13CF112 |

This form is designed for Stamped Concrete Applications before the tile is applied.

TEXTURIT FORM & LINER

Textured Pool Forming System





- User-friendly foam forms
- Re-usable liners
- Conforms to virtually any pool shape

| DESCRIPTION | PART # |
|-------------------------------|---------|
| Texturit Form -White | 23CF112 |
| Texturit Form - Grey | 23CF122 |
| Texturit Form - Tan | 23CF132 |
| Texturit Form - Black | 23CF162 |
| Texturit Form - No Tile Strip | 23CF111 |


PACKAGED 112' TEXTURIT FORM, 112' TILE STRIP AND 1 ROLL BENDING TAPE

| DESCRIPTION | PART # |
|----------------|--------|
| Texturit Liner | 23TM60 |

PACKAGED 60' PER CARTON

CHILD SAFETY GRIP FORM







| Child Salety Grip Form | |
|---|--------|
| DESCRIPTION | PART # |
| Child Safety Grip Form Only | CSG000 |
| Child Safety Grip Form - No Tie Wire - White Tile Strip | CSG011 |
| Child Safety Grip Form - Tie Wire - No Tile Strip | CSG111 |
| Child Safety Grip Form - Tie Wire - White Tile Strip | CSG112 |
| Child Safety Grip Form - Tie Wire - Grey Tile Strip | CSG122 |
| Child Safety Grip Form - Tie Wire - Tan Tile Strip | CSG132 |
| Child Safety Grip Form - Tie Wire - Black Tile Strip | CSG162 |

PACKAGED 112' PER CARTON

CHILD SAFETY GRIP TOOLS



| DESCRIPTION | PART# | |
|--------------------------------|----------|--|
| Radius Tool | CSG1CE | |
| Profile Edging Tools | CSG1EDG | |
| Hopper Applicator Tool - Large | CSG1LH | |
| Hopper Applicator Tool - Small | CSG1SM | |
| Inside 90° Corner Tools | CSG190-I | |
| Outside 90° Corner Tools | CSG190-O | |
| Complete Set | CSG1000 | |


NOTE: We recommend the use of our Frontier Desert Seal on child safety grip pours to help reduce the effects of freeze/thaw damage. See page 42.

FIBER-OPTIC REGULAR

Poured in Place Perimeter Fiber-Optic Form (Gunite / Fiberglass)



- Quick-set system for installing perimeter Fiber-Optic Lighting.
- The Fiber-Optic Receiver is set with the Cantilever form.
- When the Cantilever form is removed, the perimeter Fiber-Optic Receiver remains in place.



| PART# | DESCRIPTION | |
|---------|---|--|
| 17FS112 | For Fiberstars FSSB, FSSB-CABL-42 & Supervision SV23 | |
| 17SV112 | For Supervision SV32, SV42, Lumenyte, Fiberstars ELD, BPAK-50, Fiberworks FW 25, FW 50 | |
| 17AP112 | For Fiberworks Ultra Glow 25, 50, 75 | |

PACKAGED 112' PER CARTON

| (FLEX TRACK IS ALSO AVAILABLE) | |
|---|--------|
| For Flex-Track, add this extension to the end of the part number. | - FLEX |


CARTON INCLUDES:

- 112' FIBER-OPTIC REGULAR FORM
- 112' FIBER-OPTIC RECEIVER
- 1 TIE WIRE SIDE KIT


FIBER-OPTIC CAPSTONE

Poured in Place Perimeter Fiber-Optic Form (Gunite / Fiberglass)





- Quick-set system for installing perimeter Fiber-Optic Lighting.
- The Fiber-Optic Receiver is set with the Cantilever form.
- When the Cantilever form is removed, the perimeter Fiber-Optic Receiver remains in place.



| PART# | DESCRIPTION | |
|---------|---|--|
| 7FS112 | For Fiberstars FSSB, FSSB-CABL-42 & Supervision SV23 | |
| 77SV112 | For Supervision SV32, SV42, Lumenyte, Fiberstars ELD, BPAK-50, Fiberworks FW 25, FW 50 | |
| 77AP112 | For Fiberworks Ultra Glow 25, 50, 75 | |

PACKAGED 112' PER CARTON

| (FLEX TRACK IS ALSO AVAILABLE) | |
|---|--------|
| For Flex-Track, add this extension to the end of the part number. | - FLEX |

CARTON INCLUDES:

- 112' FIBER-OPTIC CAPSTONE FORM
- 112' FIBER-OPTIC RECEIVER
- 1 TIE WIRE SIDE KIT

POOL COVER FORM


Poured in Place Pool Cover Cantilever Form (Gunite)



This form is used when pouring the deck prior to installing the automatic pool cover track. The automatic pool cover track is attached to the flat surface under the concrete cantilever edge.

| Patented | | |
|--|----|----------|
| DESCRIPTION | | PART# |
| Pool Cover Form - Tie Wire - White Tile Strip | * | 4CF112 |
| Pool Cover Form - Tie Wire - Grey Tile Strip | * | 4CF122 |
| Pool Cover Form - Tie Wire - Tan Tile Strip | * | 4CF132 |
| Pool Cover Form - Tie Wire - Black Tile Strip | * | 4CF162 |
| Pool Cover No Extender - Tie Wire - White Tile Strip | ** | 4CF112NE |

* PACKAGED 104' PER CARTON (INCLUDES 2 TIE WIRE SIDE KITS)



POOL COVER FORM II

Poured in Place Pool Cover Form (Gunite)





This product saves time by mounting the track the same day as the pour and is an extremely strong attachment because the anchors are cast into the concrete.

CARTON INCLUDES:

- 104' POOL COVER FORMS
- STAINLESS STEEL HARDWARE KIT
- 90 DEGREE PREFORMED GUNITE CORNER KIT
- 2 TIE WIRE SIDE KITS

| DESCRIPTION | PART# |
|---|---------|
| Pool Cover Form II Tie Wire - White Tile Strip | 4PC104 |
| Pool Cover Form II Capstone Tie Wire - White Tile Strip | 49PC104 |
| Pool Cover Form II Regular Tie Wire - White Tile Strip | 41PC104 |





^{**} PACKAGED 112' PER CARTON (INCLUDES 1 TIE WIRE SIDE KIT)

POOL COVER FORM E

Poured in Place Pool Cover Form for Pools having Encapsulated Tracks

Pool Cover Form E provides a cantilever edge on swimming pools having encapsulated automatic pool covers. The foam protrusion above the double faced tape is designed to key into the aluminum channel, keeping it clean during the pour and establishing elevation.


Part# 4PCEL


CARTON INCLUDES:

- 104' POOL COVER E FORMS
- 125 TIE WIRES
- 125 CONCRETE NAILS
- 125 SELF-TAPPING SCREWS
- 125 WASHERS
- 1 ROLL OF BENDING TAPE











PREFORMED CORNERS

Preformed radius corners





| DESCRIPTION | 6" INSIDE | 6" OUTSIDE | 12" INSIDE | 90° INSIDE | 90° OUTSIDE |
|-----------------------|-----------|------------|------------|------------|-------------|
| Regular | 14RC6-I | 14RC6-O | 14RC12-I | 14RC90-I | 14RC90-O |
| Capstone | 94RC6-I | 94RC6-O | 94RC12-I | 94RC90-I | 94RC90-O |
| Sandstone | 174RC6-I | 174RC6-O | 174RC12-I | | |
| Commercial | 34RC6-I | 34RC6-O | 34RC12-I | | |
| Clip-Loc Capstone | 84RCC6-I | 84RCC6-O | 84RCC12-I | | |
| Clip-Loc Regular | 84RCR6-I | 84RCR6-O | 84RCR12-I | | |
| Clip-Loc Intermediate | 84RCI6-I | 84RCI6-O | 84RCI12-I | | |

4 PIECES PER CARTON

CLIP-LOC Regular, Capstone and Intermediate with Liner Track

Poured in Place Cantilever Form (Liner Pools)

The Clip-Loc Form attaches to the pool wall panel with double-faced tape and plastic clips (embedded in the foam). The clips snap into the liner track at 6 inch intervals and provide a positive and secure locking device.


| DESCRIPTION | PART # |
|--------------------------------|-----------|
| Capstone | 8CF1000 |
| Capstone (Without Track) | 8CF1000NT |
| Capstone (With Flex Track) | 8CF1000FT |
| Regular | 8CF1001 |
| Regular (Without Track) | 8CF1001NT |
| Regular (With Flex Track) | 8CF1001FT |
| Intermediate | 8CF1002 |
| Intermediate (Without Track) | 8CF1002NT |
| Intermediate (With Flex Track) | 8CF1002FT |


Aluminum Liner Track is also available


Just order "WITHOUT TRACK" and order 8CF950 for Aluminum Liner Track (Straight) or 8CF955 for Aluminum Liner Track (Flex-Track). See Page 12.

CARTON INCLUDES:

- 112' CLIP-LOC FORMS
- 112' LINER TRACK
- 100 SELF-TAPPING SCREWS
- 1 ROLL BENDING TAPE









CLIP-LOC & DUAL ALUMINUM TRACK Regular, Capstone and Intermediate

The Dual Aluminum Liner Track system allows for a liner to be placed into position before the cantilever form placement occurs.

This liner track provides a lower slot that is designed to accommodate most liner beads. The upper slot will accept any of the Clip-Loc Form profiles.

Stegmeier offers a PVC filler strip extrusion that will fill the upper slot after the forms have been removed.






| CLIP-LOC FORMS | PART# |
|------------------------------|-----------|
| Capstone (Without Track) | 8CF1000NT |
| Regular (Without Track) | 8CF1001NT |
| Intermediate (Without Track) | 8CF1002NT |

| DUAL ALUMINUM LINER TRACK | PART# |
|---------------------------|--------|
| Track (Straight) | 8CF970 |
| Track (Flex) | 8CF975 |

| FILLER STRIP | PART # |
|--------------|--------|
| White | FLS112 |
| Grey | FLS122 |




PACKAGED 112' PER CARTON

NOTE: Stegmeier LLC does not recommend the installation of cantilever forms with double-faced tape directly to any installed liner. The recommended method is to apply No Gum Tape to the liner and then install the cantilever forms to the correct elevation, sticking the double-faced tape to the No Gum Tape.

ENCAPSULATED FORM ADAPTER

The Encapsulated Form Adapter allows you to set any of our gunite style forms on a pool with an encapsulated cover track.






| DESCRIPTION | PART # |
|-----------------------------|--------|
| 8' length (112' per carton) | EFA112 |

1" EXTENDER STRIP

For 1" Cantilevered Edge Extension

| DESCRIPTION | PART# |
|-----------------------------|-----------|
| 8' length (480' per carton) | 6CF999 |
| 4' length (32' per carton) | 6CF999-32 |






13/4" EXTENDER STRIP

For 1-3/4" Cantilevered Edge Extension

| DESCRIPTION | PART# |
|-----------------------------|-----------|
| 8' length (240' per carton) | 7CF999 |
| 4' length (32' per carton) | 7CF999-32 |






FILLER STRIP

Is used to fill the gap that is left when using Clip-Loc Liner Form with Dual Aluminum Liner Track.

| DESCRIPTION | PART# |
|-------------|--------|
| Grey | FLS122 |
| White | FLS112 |

PACKAGED 112' (112' lengths / 1 roll)



NO-GUM TAPE

This tape provides a removable protective film that leaves no gum residue. The Cantilever Forms may be attached directly to the tape surface. This product is recommended for use with one-piece fiberglass pools and liner pools having the liner installed prior to pouring the deck.

| DESCRIPTION | PART# |
|---------------------|-----------|
| 12 Rolls per carton | #4287 -12 |
| 1 Roll | #4287 |

2" x 60 yard



PERIM-A-LITE REGULAR

Poured in Place Cantilever Form with Fiber-Optic Application (Liner Pool)

Perim-A-Lite Regular is a Clip-Loc method form with a fiber-optic application. The fiber-optic channel is attached to the inside of the form with double faced tape prior to the pour and is permanently secured into the cantilever profile.

CARTON INCLUDES:

- 112' PERIM-A-LITE FORM
- 112' LINER TRACK

PART#

18CF112

18CF152

18CF172

- 112' FIBER-OPTIC RECEIVER
- (Flex Track is also available)
- 14 2" FIBER-OPTIC INSERTS (Aluminum Liner Track is also available)

DESCRIPTION

For Fiberstars FSSB, FSSB-CABL-42 & Supervision SV23

For Supervision SV32, SV42, Lumenyte, Fiberstars ELD, BPAK-50, Fiberworks FW 25, FW 50

For Fiberworks Ultra Glow 25, 50, 75

| Patented Double-Faced Tape | |
|-----------------------------|--|
| 3.5625 | |

PERIM-A-LITE CAPSTONE


Poured in Place Cantilever Form with Fiber-Optic Application (Liner Pool)

Perim-A-Lite Capstone is a Clip-Loc method form with a fiber-optic application. The fiber-optic channel is attached to the inside of the form with double-faced tape prior to the pour and is permanently secured into the cantilever profile.

CARTON INCLUDES:

- 112' PERIM-A-LITE FORM
- 112' LINER TRACK
- 112' FIBER-OPTIC RECEIVER (Flex Track is also available)
- 14 2" FIBER-OPTIC INSERTS (Aluminum Liner Track is also available)

| PART# | DESCRIPTION | |
|--------|---|----------|
| 8CF112 | For Fiberstars FSSB, FSSB-CABL-42 & Supervision SV23 | |
| 8CF152 | For Supervision SV32, SV42, Lumenyte, Fiberstars ELD, BPAK-50, Fiberworks FW 25, FW 50 | 2 |
| 8CF172 | For Fiberworks Ultra Glow 25, 50, 75 | <u>[</u> |






LINER POOL COVER FORM



The Liner Pool Cover Form is a poured in place Cantilever Form that allows the contractor to install the pool cover track at the time of the pour.




PACKAGED 104' PER CARTON


(For Aluminum Liner Track) Just add extension "NT" to the back of the part# and order 8CF950 for Aluminum Liner Track (Straight)

DUAL ALUMINUM LINER TRACK

Dual Aluminum Liner Track for vinyl liner pools




| PRODUCT | DESCRIPTION | | PART# |
|---------------|-------------|----------------------------|--------|
| Dual Aluminum | Straight | 14 - 8 ft. pcs. per carton | 8CF970 |
| Liner Track | Flex-Track | 14 - 8 ft. pcs. per carton | 8CF975 |




ALUMINUM LINER TRACK

Liner Receptor Track (Liner)

Aluminum Liner Track is extra wide, making it easy to fasten. It works well with polymer walls, metal walls and concrete walls.



| PRODUCT | DESCRIPTION | | PART# |
|--------------------------|-------------|----------------------------|--------|
| Alumainuma Liman Tua ale | Straight | 14 - 8 ft. pcs. per carton | 8CF950 |
| Aluminum Liner Track | Flex-Track | 14 - 8 ft. pcs. per carton | 8CF955 |



DESCRIPTION PART #
Liner Pool Cover Form Regular Tie Wire - Liner Track *


8PC104

^{*} Includes 2 Tie Wire Side Kits

LINER TRACK

All Liner Tracks are available in Flex-Track to freely form to any pool shape.

Liner Track is long lasting, economical and works well with all Stegmeier Liner forms. Liner Track is made with 100% Virgin P.V.C. with UV inhibitors.






| PRODUCT | DESCRIPTION | DESCRIPTION | |
|-------------|-------------------------|----------------------|------------|
| | Straight | 50 pieces per carton | 8CF998 |
| Liner Track | Straight | 14 pieces per carton | 8CF998-112 |
| | Flex-Track | 25 pieces per carton | 8CF999 |
| | Flex-Track | 14 pieces per carton | 8CF999-112 |
| | pieces are 8' in length | | |
| Liner Track | 2' Corners | 10 pieces per carton | 8CF997 |

STEP LEDGER

This ledger system is used when it is necessary to pour the cantilever deck prior to setting the tile. Step ledger is nailed to the pool wall, level with the high point and the Stegmeier pool form is attached with double faced tape. Step ledger may be used to install any of the following Stegmeier deck forms:


- CAPSTONE
- **REGULAR**
- **DEEP REGULAR**
- **INTERMEDIATE**
- **CLASSIC ROMAN**
- **COMMERCIAL**



CARTON INCLUDES:

- 112' STEP LEDGER
- 100 2-1/4" CONCRETE NAILS
- 100 2" CONCRETE NAILS
- 100 FENDER WASHERS
- 1 ROLL BENDING TAPE

| DESCRIPTION | PART# |
|-------------|---------|
| Step Ledger | 16CF112 |




1.875



REMOVABLE PLUMB STRIP

Now You Can Remove the Plumb Strip when you're done! (Fiberglass)


Removable Plumb Strips are PVC corner strips used to square the top edge of a fiberglass pool (one piece) in preparation for setting a Cantilever Form. Removable Plumb Strips are installed using double faced tape and self-tapping screws with neoprene washers. Fasten screws snug tight only so the whole piece can be removed after the job is complete. Tighter radii may be formed by adding additional relief cuts making Removable Plumb Strip adaptable to virtually any pool or step configuration.



PLUMB STRIP

Used to Square the Top Edge of Fiberglass Pools (Fiberglass)

Plumb Strips are PVC corner strips used to square the top edge of a fiberglass pool (one piece) in preparation for setting a Cantilever form. Plumb Strips are installed using the self-tapping screws provided. Flex Track is available. Tighter radii may be formed by adding additional relief cuts, making Plumb Strip adaptable to virtually any pool or step configuration.





| DESCRIPTION | WHITE | GRAY |
|---|-------------|-------------|
| Regular Tie Wire w/ Plumb Strip | 1CF912 | 1CF922 |
| Regular Tie Wire w/ Plumb Strip Flex | 1CF912-FLEX | 1CF922-FLEX |
| Intermediate Tie Wire w/ Plumb Strip | 2CF912 | 2CF922 |
| Intermediate Tie Wire w/ Plumb Strip Flex | 2CF912-FLEX | 2CF922-FLEX |
| Capstone Tie Wire w/ Plumb Strip | 9CF912 | 9CF922 |
| Capstone Tie Wire w/ Plumb Strip Flex | 9CF912-FLEX | 9CF922-FLEX |

"FLEX" PLUMB STRIP allows for easy application on free formed pools.


RENOVATION FORMS

This form is used in remodel applications to replace out-of-date "old fashioned" coping stones. After removing the old coping, Renovation Forms attach to the ceramic tile using double faced tape (Tie Wires are included for extra support). These forms are also used in forming cast-onsite concrete countertops.





2.000




2.000

CARTON INCLUDES: 112' RENOVATION FORMS 1 TIE WIRE SIDE KIT

RESIN ROCK AND DEEP RESIN ROCK

This form is designed to be used when applying resin overlays to existing cantilever decks. The forms are lined with tape to prevent the solvent based overlays from dissolving the foam and to leave a smooth surface when removed.



| CARTON INCLUDES: | CARTONING | IIDES: |
|------------------|------------|-----------------|
| PART# | 15CF999L | 11CF999L |
| DESCRIPTION | RESIN ROCK | DEEP RESIN ROCK |

PART#

112' RESIN ROCK FORM 1 TIE WIRE SIDE KIT

- 112' DEEP RESIN ROCK FORM
 - 1 TIE WIRE SIDE KIT



FOAM PROFILE EDGING TOOLS



Finishing or touching-up a Cantilever edge, Step Liner or Wall Cap profile is much easier now that we offer disposable Foam Profile Edging Tools.

This tape-on-form design provides a clean finishing surface that flexes with the foam allowing you to finish without leaving "chatter marks".

Foam Profile Edging Tools are available to fit the following shapes:



| FORM SHAPE | PART# | FORM SHAPE | PART# |
|--|-----------------------|-------------------------|--------|
| Regular | REG2 | Fiber-Optic Capstone | CAPFI2 |
| Capstone | CAP2 | Clip-Loc Capstone | CAPCL2 |
| Intermediate | INT2 | Clip-Loc Regular | REGCL2 |
| Commercial | COM2 | Clip-Loc Intermediate | INTCL2 |
| Sandstone | SAN2 | Perm-A-Lite Capstone | CAPPE2 |
| Og-Form | OGF2 | Regular Wall Cap | REG2WC |
| Pool Cover | POO2 | Mini-Cap Wall Cap | MC2WC |
| Pool Cover E | POOEL2 | OG-400 Wall Cap | OG42WC |
| Renovation Capstone* | REN2 | OG-600 Wall Cap | OG62WC |
| Renovation Marble Round* | RENMR2 | Capstone Wall Cap | CAP2WC |
| Renovation Diamond Cut* | RENDC2 | Commercial Step Liner | COMST2 |
| Renovation OG* | RENOG2 | Sandstone Step Liner | SANST2 |
| Renovation Regular* | RENRG2 | Intermediate Step Liner | INTST2 |
| Deep Regular | DRG2 | Regular Step Liner | REGST2 |
| Deep Resin Rock | DRR2 | Capstone Step Liner | CAPST2 |
| Resin Rock | RR2 | Safety Tread Step Liner | SAFST2 |
| Stamp-A-Form | SAF2 | OG Step Liner | OGST2 |
| * Used for Renovation or Concrete Counter Top Forms. | PACKAGED 4 PER CARTON | | |

CAPSTO

STAINLESS STEEL TROWELS

Get a Handle on it with Stainless Steel Nose Tools by Stegmeier LLC

Anyone can now artistically trowel to these preformed shapes with confidence and speed. Contact your Stegmeier distributor and get a handle on it.

RENOVATION

Diamond Cut

Marble Round

Capstone



| (3) | | | |
|-----|-----------|--------|--|
| | WALL CAPS | PART # | |
| | OG-400 | OG4WC6 | |
| | | | |

| WALL CAPS | PART # |
|--------------|--------|
| OG-400 | OG4WC6 |
| Mini-Cap 300 | MCWC6 |
| Capstone 350 | CAPWC6 |

| STEP LINERS | PART # |
|--------------|--------|
| Intermediate | INTST6 |
| Sandstone | SANST6 |
| Capstone | CAPST6 |
| Regular | REGST6 |
| | |

INTERMEDIATE

| | #SAN6 | #REG | |
|--------------|--------------|---------|-------|
| NE SANDSTONE | | REGULAR | |
| # | POOL FORMS | | PART# |
| 5 | Intermediate | | INT6 |

| POOL FORMS | PART# |
|--------------|-------|
| Intermediate | INT6 |
| Commercial | COM6 |
| Sandstone | SAN6 |
| Capstone | CAP6 |
| Regular | REG6 |

PACKAGED 1 PER CARTON

PART#

REN6

RENDC6


RENMR6

TOTAL EDGE TOOLS

This unique form edging tool not only leaves a clean crisp finish but also finishes the top edge well past the flash mark left by the concrete form.

| DESCRIPTION | PART# |
|---|----------|
| Renovation Capstone Total Edge Tool | RENCPTE2 |
| Renovation Diamond Cut Total Edge Tool | RENDCTE2 |
| Renovation Marble Round Total Edge Tool | RENMRTE2 |
| Renovation OG Total Edge Tool | RENOGTE2 |
| Renovation Regular Total Edge Tool | RENRGTE2 |
| Regular Form Total Edge Tool | REGTE2 |
| Capstone Form Total Edge Tool | CAPTE2 |





TILE LEDGER BOARD

Tile Ledger Board is a reusable system that is used in setting perimeter tile on inground concrete pools. Because this product can be used for an entire season and more, Tile Ledger Board can be considered a "tool" rather than a material that has to be continuously reordered like other ledger materials.

- REUSABLE
- NAIL HOLES (pre-drilled)
- **FLEXIBLE YET RIGID**

Part# TLB-001

CARTON INCLUDES:

PACKAGED 40' PER CARTON (Size: 1" x 4" x 4')







SLIP-N-JOIN LUMBER







Slip-N-Join Lumber is a reusable synthetic forming material that's ideal for producing free-form concrete designs that win awards in the swimming pool as well as the landscaping industry.

ECONOMY: Slip-N-Join Lumber, unlike plywood or masonite, is reusable making it more economical with each job. A light oil film is necessary for the first two uses.

TIME SAVING: Your forming crew will find Slip-N-Join Lumber a lightweight and easy to work with material. Less grade marks are necessary, as Slip-N-Join Lumber does not warp and tends to find its own elevation. The forms are connected by simply plugging into the couplers, eliminating the need for time-consuming splicing.



| DESCRIPTION | PART # | SPECIFICATIONS | CONTENTS |
|---|--------|------------------------|-------------------------------|
| Slip-N-Join Lumber (includes 12 couplers) | MS007 | 3/8" x 3-1/2" x 12' | 144' per carton – 12' lengths |
| Couplers (3-5/8") | MS009 | 1/2" x 3-3/4" x 7-1/4" | 12 per carton |
| Slip-N-Join Lumber (includes 6 couplers) | MS006 | 3/8" x 5-1/2" x 12' | 72' per carton – 12' lengths |
| Couplers (5-1/2") | MS008 | 9/16" x 5-9/16" x 10" | 6 per carton |

DASH BRUSH

For application of Frontier Desert Deck

| DESCRIPTION | PART# |
|---------------|---------|
| 12 Per Carton | TL001 |
| 4 Per Carton | TL001-4 |



FRONTIER DESERT DECK WALKING TROWEL

This tool features a limber blade that is ideal for texturing Frontier Desert Deck. The texture is applied by lowering to the surface and applying a pulling motion. When attached to an extension handle, this tool extends the finishers reach up to 20 ft.

| DESCRIPTION | PART # | |
|-------------|--------|--|
| 18" | TL003 | |
| 24" TL004 | | |
| | | |





TILE TROWEL WITH LEVEL

This trowel is designed to be used in applying the bed mud to the top edge of a pool wall in preparation for setting the perimeter tile on a Gunite pool. The handle mounted level allows the applicator to apply a true vertical surface while being positioned above the wall, avoiding the use of time consuming scaffolding. This specialty tool is popular with many production-minded tile contractors.

| PART # | |
|--------|--|
| TS010 | |

PACKAGED 1 PER CARTON



DUAL WALKING EDGER

This specialty tool edges the concrete on both sides of a control joint while wiping the top clean.



PART # TL006

PACKAGED 1 PER CARTON

CHAMFER CLIPS

Vertical Surface Detail Molds (Wall Caps, Pool Forms, Step Liners)

Chamfer Clips are used to continue a deep jointer mark over the edge of the most detailed Stegmeier vertical surfaces. These reusable molds are pinned to the inside of the form with nails, painted with release agent (included) and are removed when the forms are stripped so the edge is ready to finish.



| RENOVATION | PART# |
|------------------------------------|-------------|
| Capstone* | RENCP-CC-24 |
| Marble Round* | RENMR-CC-24 |
| Regular* | RENRG-CC-24 |
| * Also used with Counter Top forms | |

Also used with Counter Top forms

| WALL CAP | PART # |
|----------------|-----------|
| Mini-Cap "300" | MC3-CC-24 |
| O-G "400" | OG4-CC-24 |
| O-G "600" | OG6-CC-24 |
| Regular-360 | RG6-CC-24 |
| Capstone-350 | CP5-CC-24 |

| POOLS | PART # |
|--------------|-----------|
| Regular | REG-CC-24 |
| Capstone | CAP-CC-24 |
| Sandstone | SAN-CC-24 |
| OG | OG-CC-24 |
| Intermediate | INT-CC-24 |
| Pool Cover | POO-CC-24 |

| STEP LINERS | PART # |
|--------------|-------------|
| Regular | REGST-CC-24 |
| Capstone | CAPST-CC-24 |
| Sandstone | SANST-CC-24 |
| Intermediate | INTST-CC-24 |
| Commercial | COMST-CC-24 |














WALL CAP FORMS



Wall Cap Forms are used to pour concrete caps on block walls, glass block walls, planters and benches. Wall Cap Forms are made of foam, making them lightweight. They are held in place with reusable spring clamps. Wall Cap Forms are available in several classic profiles. They provide an affordable "Cast-in-Place" solution.

| WALL CAP FORMS* (80' per carton) | WALL CAP PART # |
|----------------------------------|-----------------|
| Regular "360" | REG-360 |
| Capstone "350" | CAP-350 |
| Mini-Cap "300" | MC-300 |
| OG "400" | OG-400 |
| OG "600" | OG-600 |

PACKAGED 80' PER CARTON



SPRING CLAMPS

are designed to hold the forms securely yet be removed easily without damage to the wall surface



| DESCRIPTION | | PART # |
|------------------------|---|---------|
| Spring Clamps | * | SPR-CLP |
| PACKAGED 10 PER CARTON | | |


* Spring Clamps not included in form box

COUNTERTOP FORMS

For poured in place concrete countertops


Stegmeier's Countertop Forms are the answer to installing the popular counters found in many contemporary kitchens, baths and commercial sites such as restaurants and bars. These short 2" thick profiles are the perfect height for most applications and can be shaped or mitered to any angle.












Countertop Forms
have a smooth even texture
allowing them to be stripped
early while there is ample
time for finishing.

CARTON INCLUDES:

- 32' COUNTERTOP FORMS
- 1 COUNTERTOP SIDE KIT
 (25 Tie Wires, 25 Wood Screws, Washers,
 1 Foam Profile Edging Tool and 1 Roll of Bending Tape)








| DESCRIPTION | CAPSTONE | DIAMOND CUT | MARBLE ROUND | REGULAR | OG |
|-------------|-----------|-------------|--------------|-----------|-----------|
| PART# | CTF-32-CS | CTF-32-DC | CTF-32-MR | CTF-32-RG | CTF-32-OG |

BACKSPLASH FORMS

For poured in place Concrete Backsplashes

Now you can have "poured in place" backsplashes. Just attach a Backsplash Form to a six-inch piece of lumber using spray adhesive and fasten the lumber to the wood deck using six-inch shelving brackets. Then adjust the backsplash to desired depth.









NOTE: Pour before Countertop

.750





| DESCRIPTION | MARBLE ROUND | REGULAR |
|-------------|--------------|----------|
| PART# | BS-32-MR | BS-32-RG |

CARTON INCLUDES:


32' BACKSPLASH FORMS


STEP LINERS




Step Liners are a flexible foam step liner used to produce architectural profiles when pouring concrete steps. These labor saving forms are attached to the inside of the wood forms using spray adhesive or nails. Radius steps may be formed by attaching Step Liners to Slip-N-Join Lumber (a reusable plastic bender board by Stegmeier LLC). Break-away slots allow for three (3) riser heights. Step Liners may be stripped and finished much earlier than conventional forms.

| DESCRIPTION | LENGTH | PART # | QUANTITY |
|--------------|--------|---------|----------|
| Regular | 4' | 1STP40 | 40 LF |
| Regular | 8' | 1STP80 | 80 LF |
| Intermediate | 4' | 2STP40 | 40 LF |
| Intermediate | 8' | 2STP80 | 80 LF |
| Commercial | 4' | 3STP24 | 24 LF |
| Commercial | 8' | 3STP48 | 48 LF |
| Capstone | 4' | 9STP40 | 40 LF |
| Capstone | 8' | 9STP80 | 80 LF |
| Sandstone | 4' | 17STP40 | 28 LF |
| Sandstone | 8' | 17STP80 | 56 LF |
| Safety Tread | 4' | 19STP40 | 40 LF |
| Safety Tread | 8' | 19STP80 | 80 LF |
| OG | 4' | 20STP24 | 24 LF |
| OG | 8' | 20STP48 | 48 LF |









FRONTIER POLI-VOID


Flexible Expansion Joint Material System


Frontier Poli-Void by Stegmeier LLC is available in three heights: 1-1/2", 3" and 4" with 3/8" perforated tear strip.

FRONTIER POLI-VOID INSTRUCTIONS:

To determine the size needed, check the coping. If you have just the depth of the coping, use the one and one-half inch. If the bond beam is notched or goes straight down from the bottom of the coping, use the three inch.

With the 3/8" tear strip in an upward position, apply spray adhesive one-half inch below the tear strip section so as not to interfere with the bonding of the joint sealant. The concrete is poured to the opposite side and edged with 1/4" edger. The deck (surface) should be allowed to cure before the 3/8" tear strip is removed and the Boss Joint Sealant is applied.







COMPRESSION, psi

at 10% deflection - less than 10 at 80% deflection - less than 125

MOISTURE VAPOR PERMEABILITY

perm inches - less than 0.4

WATER ABSORPTION

% volume - less than 0.5

DENSITY

Pounds/ft. 3 - 2.4 - 2.8

TEMPERATURE STABILITY


-18° to 150°

| SIZES AVAILABLE | RLS PER BUNDLE | PART# PACK | T# PACKAGE OPTIONS Rigated Plastic Bag B | | PART# PACKAGE OPTIONS Plastic Bag Only |
|----------------------|-------------------|------------|--|---|--|
| 1/4" x 1 1/2" x 120' | 32 | PV11B | PV11B-BAG | 8 | PV11B-BAG-4 |
| 1/4" x 3" x 120' | 16 | PV12B | PV12B-BAG | 4 | PV12B-BAG-4 |
| 1/2" x 1 1/2" x 60' | 32 | PV13B | PV13B-BAG | 8 | PV13B-BAG-4 |
| 1/2" x 3" x 60' | 16 | PV14B | PV14B-BAG | 4 | PV14B-BAG-4 |
| 1/4" x 4" x 120' | 12 | PV15B | PV15B-BAG | 4 | PV15B-BAG-4 |
| 1/2" x 4" x 60' | 12 | PV16B | PV16B-BAG | 4 | PV16B-BAG-4 |

BOSS® JOINT SEALANT

Self Leveling, One Part Silicone Joint Sealant

Boss Joint Sealant cures to a firm, flexible silicone rubber that is UV resistant and adheres to concrete, brick, masonry, wood, glass, vinyl and most plastics.



| Standard Coping | Joint Sealant |
|--------------------|---------------|
| | |
| | Poli-Void |
| | |
| | |

DEPTH

| | | 1/8" | 1/4" | 3/8" | 1/2" | 5/8" | 3/4" | 7/8" | 1" |
|-------|------|------|------|------|------|------|------|------|----|
| | 1/8" | 279′ | 139′ | 93′ | 69' | 56′ | 46′ | 40′ | 35 |
| | 1/4" | | 70′ | 46′ | 35′ | 28′ | 23′ | 20′ | 17 |
| _ | 3/8" | | | 31′ | 23′ | 18′ | 15′ | 13′ | 11 |
| WIDTH | 1/2" | | | | 17′ | 14′ | 11′ | 10′ | 9′ |
| ⋚ | 5/8" | | | | | 11′ | 9′ | 8′ | 7′ |
| _ | 3/4" | | | | | | 8′ | 6′ | 6′ |
| | 7/8" | | | | | | | 5′ | 5′ |
| | 1" | | | | | | | | 4' |

Chart shows approximate lineal ft. of coverage per 29 oz. tube.

| DESCRIPTION | PART# |
|-------------|---------|
| White | BJS629W |
| Tan | BJS629T |
| Grey | BJS629G |

CARTON INCLUDES:


6 29 OZ. SEALANT TUBES



RIGID HOLD

When preset expansions are the answer.

Rigid Hold is a full-expansion base that is used in presetting either Frontier Deck Joint or Rigid Deck Joint. With expansion joint snapped in place, Rigid Hold measures a full three inches in height.




PART#

RJH2

PACKAGED 240' PER CARTON IN 12' LENGTHS

FRONTIER DECK JOINT



Frontier Deck Joint provides the necessary crack control, but not so deep as to interfere with steel placement. In addition to control, it adds a beautiful finished look. It is cost effective, durable and easy to install. With the "T" member ears embedded in concrete, surface water seepage is kept from subsoil.


| DESCRIPTION | PART# |
|-------------|-------|
| Black | SDJIB |
| Grey | SDJIG |
| Tan | SDJIT |
| White | SDJIW |

PACKAGED 240' PER CASE
IN 12' LENGTHS WITH
PROTECTIVE TAPE ON TOP

For full expansion joint control, use with Rigid Hold.



RIGID DECK JOINT





Rigid PVC control joint to be used in exterior patios, driveways, pool decks or wherever less flexibility is desired to assure straight lines in decking. The 5/8" x 1-5/16" control joint is deep enough to produce required crack control, but not so deep as to interfere with steel placement.

| DESCRIPTION | PART# |
|-------------|-------|
| Black | RDJIB |
| Grey | RDJIG |
| Tan | RDJIT |
| White | RDJIW |

PACKAGED 240' PER CASE IN 12' LENGTHS WITH PROTECTIVE TAPE ON TOP

For full expansion joint control, use with Rigid Hold.

FRONTIER NOSE CAPS

Control the joint all the way down

Frontier Nose Caps are designed to allow the control joint to run smoothly down the face to the tile or pool wall.







| H NOS | ZZZ E CAP | Deck Joint |
|-------|--------------|--------------------|
| Leg . | | |
| | | |
| | | ONTROL |
| Form | | L THE WAY DOWN! |
| | | |

| CARTON INCLUDES 100 PIECES | | | | | |
|----------------------------|--------|--------|------|--|--|
| DESCRIPTION | WHITE | TAN | GRAY | | |
| Regular | 1NC1 | 1NC3 | 1NC6 | | |
| Capstone | 9NC1 | 9NC3 | 9NC6 | | |
| Intermediate | 2NC1 | 2NC3 | 2NC6 | | |
| Commercial | 3NC1 | 3NC3 | 3NC6 | | |
| Pool Cover & Stamp-A-Form | 4NC1 | 4NC3 | 4NC6 | | |
| Child Safety Grip | CSGNC1 | CSGNC3 | | | |
| Sandstone | 17NC1 | 17NC3 | | | |

Peel the paper off the tape.
Press the nose cap to the form
where you would like a joint.
Insert the nose cap flange
into the Deck Joint.

DECK DRAIN


Stegmeier LLC Deck Drain is an extruded PVC drain that comes with connecting couplers and is designed to be set level. This drain is commonly used in pool decks, patios and other pedestrian traffic areas. Deck Drain is easy to install by staking on grade (no trenching required) and has a full .100" thickness top for durability.

| DESCRIPTION | PART # |
|-------------|--------|
| White * | D2W |
| Grey * | D2G |
| Tan * | D2T |
| Black | D2B |

THIS DRAIN IS PACKAGED IN 10'
LENGTHS WITH PROTECTIVE TAPE
ON THE TOP SURFACE.

CARTON INCLUDES:

- 8 10' DECK DRAIN
- 8 COUPLERS
- 4 END ADAPTERS





A full range of fittings are available. See Page 34.

^{*} Maximum Flow Rate: 7.3 gal. per minute per foot.

CHANNEL DRAIN

Channel Drain has an attractive dual channel top that reduces water pass-over. Channel Drain is an extruded PVC drain that comes with connecting couplers and is designed to be set level. This drain is commonly used in pool decks, patios and other pedestrian traffic areas. Channel Drain is easy to install by staking on grade (no trenching required) and has a full .100" thickness top for durability.


| DESCRIPTION | PART # |
|-------------|--------|
| White * | CD3W |
| Grey * | CD3G |
| Tan * | CD3T |
| Black * | CD3B |

THIS DRAIN IS PACKAGED IN 10'
LENGTHS WITH PROTECTIVE TAPE
ON THE TOP SURFACE.

^{*} Maximum Flow Rate: 8.1 gal. per minute per foot.



- 8 10' CHANNEL DRAIN
- 8 COUPLERS
- 4 END ADAPTERS





A full range of fittings are available. See Page 34.

SUPER DRAIN


Super Drain is a technically superior round drain designed for maximum flow capacity, durability and ease of installation. Super Drain features a nailing guide which also acts as a true water seal against moisture transfer to the subsoil. A full range of non-directional fittings, adapters and end clips are available. Because Super Drain fits flush on both sides, it stakes more securely (no more roll over).

| DESCRIPTION | PART # | |
|-------------|--------|-----|
| Grey | * | SRG |
| Tan | * | SRT |
| White | * | SRW |

THIS DRAIN IS PACKAGED IN 10'
LENGTHS WITH PROTECTIVE TAPE
ON THE TOP SURFACE.

CARTON INCLUDES:

- 8 10' SUPER DRAIN
- 8 COUPLERS
- 4 END ADAPTERS







^{*} Maximum Flow Rate: 8.8 gal. per minute per foot.

FRONTIER DECK DRAIN

Removable Top Drain

Frontier Deck Drain is a removable top drain that features a doublewall base and snap-in top (PVC). When installing this drain, the tops are staggered past the joints making the joints very rigid. Because the tops are removable, this drain is easy to clean and the tops can be replaced if ever damaged. Frontier Deck Drain is used in many residential and commercial swimming pools, patios and other pedestrian areas.

CARTON INCLUDES:


- 8 10' BASE
- 8 10' TOP CAP
- 8 COUPLERS
- 4 END ADAPTERS

A full range of fittings are available. See Page 36.

THIS DRAIN IS PACKAGED 80' PER CARTON IN 10' LENGTHS WITH PROTECTIVE TAPE ON THE TOP SURFACE.

be used as a full expansion. Stegmeier LLC requires that a Drain Dowel be placed every 36", midway in the drain to prevent damage due to concrete deck movement







| DESCRIPTION | WHITE | TAN | GREY | BLACK | MARBLE | |
|-----------------------|------------|--|------------|------------|------------|--|
| Frontier Deck Drain * | SDDW | SDDT | SDDG | SDDB | SDDM | |
| Top Cap Only | SDD-TCW-80 | SDD-TCT-80 | SDD-TCG-80 | SDD-TCB-80 | SDD-TCM-80 | |
| Base Only | BASE | * Maximum Flow Rate: 9.3 gal. per minute per foot. | | | | |

See page 45 for Installation Drain Dowels.

TREADMASTER COMMERCIAL

Aluminum Top Drain

Treadmaster Commercial Deck Drain is a removable top drain that features an Aluminum top. This product also features a double-wall base and a snap-in top. When installing this drain the tops are staggered past the joints making the joints very rigid. Because the Aluminum tops are removable, this drain is easy to clean and the tops can be replaced if ever damaged. Treadmaster Commercial is used on many commercial swimming pools, fitness centers and other pedestrian traffic areas.

ALUMINUM




- 1 10' ALUMINUM TOP CAP
- 1 10' BASE
- 1 COUPLER


A full range of fittings are available. See Page 36.

See page 45 for Installation Drain Dowels.

This drain is not designed to be used as a full expansion. Stegmeier LLC requires that a Drain Dowel be placed every 36", midway in the drain to prevent damage due to concrete deck movement







| DESCRIPTION | | CLEAR | ALMOND | WHITE | BRONZE | COPPER |
|--------------|---|----------|-------------------|----------|-----------|----------------------|
| TREADMASTER | * | ALD-C | ALD-A | ALD-W | ALD-BZ | ALD-LC |
| TOP CAP ONLY | | ALD-C-NB | ALD-A-NB | ALD-W-NB | ALD-BZ-NB | ALD-LC-NB |
| BASE ONLY** | | BASE | **PACKAGED 80' PE | R CTN | 2.2 | * Maximum Flow Rate: |


THIS DRAIN IS PACKAGED IN 10' LENGTHS WITH PROTECTIVE TAPE

Aluminum top drains are recommended in high temperature surface areas or excessive reflective surface areas around windows, doors, etc.

9.3 gal, per minute per foot.

FLOWMASTER COMMERCIAL DECK DRAIN

Flowmaster Commercial is a 4" removable top drain that features a double wall base and a snap in top (PVC). When installing this drain the tops are staggered past the joints making the joints very rigid. Because the Flowmaster Commercial Deck Drain tops are removable, this drain is easy to clean and the tops can be replaced if ever damaged. Flowmaster Commercial Deck Drain is used on many commercial swimming pools, patios and other areas where large amounts of water need to be removed.




| A full range of fittings CARTON INCLUDES: 4 10' BASE 4 10' TOP CAP 4 COUPLERS A full range of fittings See Page 36. | are available. | 3.50 | | 4.75 — | | |
|---|-----------------|-------|----|--|--|--|
| This drain is not designed to be used as a full expansion. Stegmeier LLC requires that Drain Dowel be placed ever 36", midway in the drain to prevent damage due to concrete deck movement. | ta | | ln | page 45 for stallation nin Dowels. | | |
| THIS DRAIN IS PACKAG | GED 40' PER CAR | ГОИ | | | | |
| DESCRIPTION | WHITE | TAN | | GREY | | |
| Flowmaster * | FMW | FMT | | FMG | | |
| Top Cap Only | FM-TCW | FM-TC | Г | FM-TCG | | |
| Base Only FM-BASE * Maximum Flow Rate: 83.0 gal. per minute per fo | | | | | | |



FLOWMASTER A/T


Flowmaster A/T's wide design is ideal for commercial use or other applications that require a durable drain able to remove large quantities of surface water. Flowmaster A/T features a snap-on, removable cap for easy cleaning and secure foot for easy installation. It also comes in workable 10 foot lengths with five "aluminum" finishes to choose from.



A full range of fittings are available. See Page 36.







See page 45 for Installation **Drain Dowels.**





| DESCRIPTION | CLEAR | ALMOND | WHITE | BRONZE | COPPER |
|------------------|-----------------|---|-----------------|------------------|------------------|
| Flowmaster A/T * | FLO-AT 4.5 C | FLO-AT 4.5 A | FLO-AT 4.5 W | FLO-AT 4.5 BZ | FLO-AT 4.5 LC |
| Top Cap Only | FLO-AT 4.5 C-NB | FLO-AT 4.5 A-NB | FLO-AT 4.5 W-NB | FLO-AT 4.5 BZ-NB | FLO-AT 4.5 LC-NB |
| Rase Only** | FM-RASE | * Maximum Flow Rate: 83.0 gal ner minute per foot | | | |

Aluminum top drains are recommended in high temperature surface areas or excessive reflective surface areas around windows, doors, etc.

FLOWMASTER 3 COMMERCIAL DECK DRAIN

Flowmaster 3 Commercial is a 3" removable top drain that features a double wall base and a snap in top (PVC). When installing this drain the tops are staggered past the joints making the joints very rigid. Because the Flowmaster 3 Commercial Deck Drain tops are removable, this drain is easy to clean and the tops can be replaced if necessary. Flowmaster 3 Commercial Deck Drain is used on many commercial swimming pools, patios and other areas where large amounts of water need to be removed.





A full range of fittings are available. See Page 36.

See page 45 for Installation Drain Dowels.

| Patented | |
|----------|----------|
| | Patented |

THIS DRAIN IS PACKAGED 40' PER CARTON


| CARTON INCLUDES: | |
|------------------|--|
| ■ 4 10' BASE | |
| ■ 4 10' TOP CAP | |
| 4 COUPLERS | |

| DESCRIPTION | WHITE | TAN | GREY | |
|----------------|----------|--|------|--|
| Flowmaster 3 * | FM3W | FM3T | FM3G | |
| Top Cap Only | FM3-TCW | FM3-TCT FM3-TCG | | |
| Base Only | FM3-BASE | * Maximum Flow Rate: 44.6 gal. per minute per fo | | |

FLOWMASTER 3 A/T DECK DRAIN

Flowmaster 3 A/T is a 3" removable top drain that features a double wall base and a snap in top (Aluminum). When installing this drain the tops are staggered past the joints making the joints very rigid. Because the Flowmaster 3 A/T Deck Drain tops are removable, this drain is easy to clean and the tops can be replaced if necessary. Flowmaster 3 A/T Deck Drain is used on many commercial swimming pools, patios and other areas where large amounts of water need to be removed.





A full range of fittings are available. See Page 36

1 10' BASE1 10' ALUMINUM TOP CAP1 COUPLER

CARTON INCLUDES:

See page 45 for Installation Drain Dowels.

| DESCRIPTION | | ALMOND | CLEAR | WHITE | BRONZE | COPPER |
|------------------|---|-------------|--|-------------|--------------|--------------|
| Flowmaster 3 A/T | * | FLO-AT3A | FLO-AT3C | FLO-AT3W | FLO-AT3BZ | FLO-AT3LC |
| Top Cap Only | | FLO-AT3A-NB | FLO-AT3C-NB | FLO-AT3W-NB | FLO-AT3BZ-NB | FLO-AT3LC-NB |
| Base Only** | | FM3-BASE | * Maximum Flow Rate: 44.6 gal. per minute per foot. ** PACKAGED 40 FT. PER CTN | | | |


Aluminum top drains are recommended in high temperature surface areas or excessive reflective surface areas around windows, doors, etc.


| Patented |
|----------|

ADJUSTABLE HEIGHT PAVER DRAIN

The Adjustable Height Paver Drain is a dual-elevation deck drain system used for the installation of paver decks. This unique design features a top cap that can be lapped past the joints for rigidity as well as a tray built into the base to set the pavers on.

A full range of fittings are available. See Page 35.





THIS DRAIN IS PACKAGED 80' PER CARTON

| DESCRIPTION | GREY | MARBLE | TAN | WHITE |
|---------------------------------|-----------|-----------|-----------|-----------|
| Adjustable Height Paver Drain * | PD2G | PD2M | PD2T | PD2W |
| Top Cap Only | PD-TCG-80 | PD-TCM-80 | PD-TCT-80 | PD-TCW-80 |
| Base Only * | PD-BASE | | | |

* Maximum Flow Rate 5.8 gal - High 3.7 gal - Low per minute per foot


CARTON INCLUDES: 8 10' BASE 8 10' TOP CAPS 8 COUPLERS

Aluminum top drains are recommended in high temperature surface areas or excessive reflective surface areas around windows, doors, etc.

PAVER DRAIN A/T

Paver Drain A/T is a dual-elevation deck drain system with an aluminum top cap used for installation of paver decks.

A full range of fittings are available. See Page 35.





| DESCRIPTION | PART# |
|----------------------|-----------|
| Clear * | PD-ATC |
| Clear (without base) | PD-ATC-NB |

Maximum Flow Rate 5.8 gal - High 3.7 gal - Low per minute per foot


| CARTON INCLUDES: | | | | |
|------------------|---|------------------------------------|--|--|
| | 1 | 10' BASE | | |
| | 1 | 10' TOP CAP | | |
| | 1 | 10' BASE 10' TOP CAP COUPLER | | |
| | | | | |


Aluminum top drains are recommended in high temperature surface areas or excessive reflective surface areas around windows, doors, etc.

MINI PAVER DRAIN

The Mini Paver Drain is designed to be used when 1" thick pavers are installed on an existing surface. The extended base goes under the surrounding pavers to ensure a stable installation.

A full range of fittings are available. See Page 35.







| DESCRIPTION | GREY | MARBLE | TAN | WHITE | |
|--------------------|------|--------|------|-------|--|
| Mini Paver Drain * | MP2G | MP2M | MP2T | MP2W | |


8 10' BASE8 10' TOP CAPS8 COUPLERS

CARTON INCLUDES:

PAVER DRAIN PRO

Paver Drain Pro is a one-piece PVC extruded drain designed to provide surface water drainage on paver decks. This drain accommodates most 60mm or 2 3/8" pavers.

A full range of fittings are available. See page 35.








CARTON INCLUDES:8 10' PAVER DRAIN PRO8 COUPLERS

^{*} Maximum Flow Rate: 1.7 gal. per minute per foot.

FLUSH MOUNT PAVER DRAIN

The Flush Mount Paver Drain is a dual-elevation deck drain system used for the installation of paver decks. This design features a top cap that can be lapped through the sectional base insuring a rigid configuration. The bottom tray of the base section features a single flange design that allows this drain to set flush against a vertical surface such as a wall.

A full range of fittings are available. See page 35.






| DESCRIPTION | GREY | MARBLE | TAN | WHITE |
|---------------------------|---------|---------|---------|---------|
| Flush Mount Paver Drain * | FLMPD-G | FLMPD-M | FLMPD-T | FLMPD-W |

* Maximum Flow Rate 5.8 gal - High 3.7 gal - Low per minute per foot 8 10' BASE8 10' TOP CAPS8 COUPLERS

CARTON INCLUDES:

Aluminum top drains are recommended in high temperature surface areas or excessive reflective surface areas around windows, doors, etc.

DRAIN FITTINGS



| CHANNEL DRAIN | | | QUANTITY PER CARTON | WHITE | GREY | TAN | BLACK |
|-------------------------|--------------|------------------|------------------------|-------|-------|-------|-------|
| Clean Out/Channel Drain | 90 Degree | | 10 | CD9W | CD9G | CD9T | CD9B |
| | 45 Degree | | 10 | CD4W | CD4G | CD4T | CD4B |
| | Side Adapter | | 4 | CDSAW | CDSAG | CDSAT | CDSAB |
| | Clean Out | | 4 | CDCOW | CDCOG | CDCOT | CDCOB |
| | Tee | | 4 | CDTW | CDTG | CDTT | CDTB |
| | Cross | | 2 | CDXW | CDXG | CDXT | CDXB |
| | Down Adapter | | 4 | CDDAW | CDDAG | CDDAT | CDDAB |
| | End Adapter | | 4 | | DEA | | |
| | l End Diva | COLOR AILABLE | 10 | | DEP | | |
| | Coupler | | 12 | | DCUP | | |

DRAIN FITTINGS

90 Degree/Super Drain

90 Degree/Paver Drain Pro

45 Degree/Mini Paver Drain

| SUPER DRAIN | | QUANTITY PER CARTON | WHITE | GREY | TAN |
|-------------|-----------------------------|------------------------|--------|--------|--------|
| | 90 Degree | 10 | SR9W | SR9G | SR9T |
| | 45 Degree | 10 | SR4W | SR4G | SR4T |
| | Side Adapter | 4 | SRSAW | SRSAG | SRSAT |
| | Clean Out | 4 | SRDCOW | SRDCOG | SRDCOT |
| | Tee | 4 | SRTW | SRTG | SRTT |
| | Cross | 2 | SRXW | SRXG | SRXT |
| | Down Adapter | 4 | SRDAW | SRDAG | SRDAT |
| | End Clip | 10 | | SREC | |
| | End Plug No COLOR AVAILABLE | 10 | | SRDEP | |
| | Coupler | 12 | | SRDCUP | |
| | | | | | |

| ADJUSTABLE HEIGH | HT PAVER DRAIN | QUANTITY PER CARTON |
|------------------------------------|----------------|------------------------|
| | 90 Degree | 4 |
| <i>A.</i> 1 | 45 Degree | 4 |
| | Down Adapter | 4 |
| | End Adapter | 4 |
| | End Plug | 4 |
| | Coupler | 12 |
| 3 8 | | |
| 5 Degree/Adjustable Height Paver D | Prain | |

| PAVER DRAIN PRO | | | QUANTITY PER CARTON | WHITE | GREY | TAN |
|-----------------|--------------|-----------------------|------------------------|------------|-------------|------------|
| | 90 Degree | | 10 | PD-PRO-90W | PD-PRO-90G | PD-PRO-90T |
| | 45 Degree | | 10 | PD-PRO-45W | PD-PRO-45G | PD-PRO-45T |
| | Down Adapter | | 4 | PD-PRO-DAW | PD-PRO-DAG | PD-PRO-DAT |
| | End Adapter | No cou on | 4 | | PD-PRO-DEA | |
| | End Plug | NO COLOR AVAILABLE | 10 | PD-PRO-DEP | | |
| | Coupler | | 12 | | PD-PRO-DCUP | |
| | | | | | | |

| MINI PAVER DRAIN | | QUANTITY PER CARTON | PART# |
|------------------|--------------|------------------------|---------|
| | 45 Degree | 4 | MP45 |
| | 90 Degree | 4 | MP90 |
| | Down Adapter | 4 | MPDA |
| | End Adapter | 4 | MPDDEA |
| | Coupler | 12 | MPDDCUP |
| | End Plug | 4 | MPDEP |
| 5 3 | | | |
| | | | |
| | | | |

PART# PD90 PD45 PDDA PDDEA **PDDEP** PDDCUP

DRAIN FITTINGS



| N | QUANTITY PER CARTON | PART # |
|--------------|------------------------|--------|
| 90 Degree | 10 | SDD90 |
| 45 Degree | 10 | SDD45 |
| Side Adapter | 4 | SDD-SA |
| Tee | 4 | SDD-TW |
| Cross | 2 | SDD-XW |
| Down Adapter | 4 | SDD-DA |
| End Adapter | 4 | DEA |
| End Plug | 10 | DEP |
| Coupler | 12 | DCUP |
| | | |

90 Degree/Frontier Deck Drain

TREADMASTER COMMERCIAL DRAIN

USE FRONTIER DECK DRAIN FITTINGS



| ERCIAL DRAIN | QUANTITY PER CARTON | PART # |
|--------------|------------------------|--------|
| 90 Degree | 1 | FM90 |
| 45 Degree | 1 | FM45 |
| Side Adapter | 1 | FMSA |
| Down Adapter | 1 | FMDA |
| Tee | 1 | FMTW |
| End Adapter | 1 | FMDEA |
| End Plug | 1 | FMDEP |
| Coupler | 1 | FMDCUP |

45 Degree/Flowmaster Commercial Drain

FLOWMASTER A/T DRAIN

USE FLOWMASTER COMMERCIAL FITTINGS



| WERCIAL DRAIN | PER CARTON | PARI# |
|---------------|------------|------------|
| 90 Degree | 1 | FM390 |
| 45 Degree | 1 | FM345 |
| Side Adapter | 1 | FM3SA |
| Down Adapter | 1 | FM3DA |
| Tee | 1 | FM3TW |
| End Adapter | 1 | FM3DEA |
| End Plug | 1 | FM3DEP |
| Coupler | 1 | FM3DCUP |
| Coupler | 12 | FM3DCUP-12 |
| | | |

Down Adapter/ Flowmaster 3 Commercial Drain


FLOWMASTER 3 A/T DRAIN

USE FLOWMASTER 3 COMMERCIAL FITTINGS

DRAIN EXTENDER KIT

Drain Extender Kit is used when it is necessary to raise the elevation of an existing drain in preparation for the installation of Pavers or Overlays.

The Drain Extender Kit is used in many applications to increase the height of an existing drain. It is attached base clip first to an existing drain with the screws provided and the top is "snapped" into place. Both the top and bottom pieces of the Drain Extender Kit have slots in them to allow the water to pass through to the existing drain, leaving behind a beautiful new drain.




|--|

| DESCRIPTION | PART# |
|-------------|--------|
| White | DEK40W |
| Grey | DEK40G |
| Tan | DEK40T |
| Black | DEK40B |



PACKAGED 40' PER CARTON IN 5' LENGTHS




RE-COVER DRAIN

Replacement top used to repair damaged deck drain.

Re-Cover Drains are designed with continuous side-to-side slots, allowing water to enter from either side at the original elevation. This important feature prevents ponding and subsequent freeze and thaw damage.

| DESCRIPTION | PART # |
|-------------|--------|
| White | RD2W |
| Grey | RD2G |
| Tan | RD2T |
| Black | RD2B |


PACKAGED 80' PER CARTON IN 10' LENGTHS





INSTALLATION TIPS

Using a 1/8" carborundum or diamond blade, make two parallel cuts removing the center of the damaged deck drain. Apply a continuous bead of silicone into the crack between the side walls of the existing drain and the concrete. Press the Re-Cover Drain into the silicone filled slot. Place a weight on top of the Re-Cover Drain to hold it securely in place until the silicone cures (if necessary).




Tan


RE-COVER DRAIN II

Designed to repair drains that are pinched due to deck movement.

Re-Cover Drain II is attached at one side only, allowing the drain cover to be successfully applied to drains that are distorted due to damage from deck movement. This "free floating" design makes this product adaptable to various drain widths.




RD2T-2



RE-COVER SUPER DRAIN

Designed to repair weathered or damaged Super Drain.



| DESCRIPTION | PART# |
|-------------|-------|
| White | RSD-W |
| Tan | RSD-T |
| Grey | RSD-G |

PACKAGED 80' PER CARTON IN 10' LENGTHS


IN 10' LENGTHS

NOTE: Installation Tips and illustrations see RE-COVER DRAIN



RE-COVER CHANNEL DRAIN


Designed to repair weathered or damaged Channel Drain.



| DESCRIPTION | PART # |
|-------------|--------|
| White | RCD-W |
| Tan | RCD-T |
| Grey | RCD-G |
| Black | RCD-B |

PACKAGED 80' PER CARTON IN 10' LENGTHS

NOTE: Installation Tips and illustrations see RE-COVER DRAIN



RENOVATION FIBER-OPTIC



Renovation Fiber-Optic perimeter lighting channel is easy to install and provides a mechanical attachment. The top flange is designed to compress when inserted into a saw cut 5/8" deep x 1/8" wide. A bead of adhesive placed between the top flanges adheres the strip in place.

112' PER CARTON, 8' LENGTHS

| PART# | DESCRIPTION | |
|--------|---|--|
| 7REN4F | For Fiberstars FSSB, FSSB-CABL-42 & Supervision SV23 | |
| 7REN6S | For Supervision SV32, SV42, Lumenyte, Fiberstars ELD, BPAK-50, Fiberworks FW 25, FW 50 | |
| 7REN7A | For Fiberworks Ultra Glow 25, 50, 75 | |



RENOVATION TILE STRIP

Renovation Tile Strip is an innovative design used for replacement and renovation of discolored or broken tile strips. The attachment process is mechanical. The top flange is designed to compress when inserted into a saw cut 5/8" deep x 1/8" wide. A bead of adhesive placed between the top flanges adheres the strip in place.

| DESCRIPTION | PART# | |
|-------------|--------|--|
| White | TREN1W | |

112' PER CARTON, 8' LENGTHS (back edge may be cut for radius)






RE-COVER STRIP


The First Truly Practical Joint Repair System

These replacement covers are the perfect answer for the repair of damaged deck joints. After making a saw cut through the top of the old joint, this product is clipped over the old joint and held in place with adhesive. Re-Cover Strips can be used on joints that have been edged or not edged.










| DESCRIPTION | WHITE | GREY | TAN | BLACK |
|----------------|-------|------|------|-------|
| Re-Cover Strip | RS2W | RS2G | RS2T | RS2B |

PACKAGED 240' PER CARTON, 12' LENGTHS


(Renovation)

RE-COVER STRIP II

Re-Cover Strip II is used when the old joints have been edged



| DESCRIPTION | WHITE | TAN |
|-------------------|--------|--------|
| Re-Cover Strip II | RS2W-2 | RS2T-2 |



DECK RENEW

Restore deck surfaces to a like-new appearance

Deck Renew is available in 10 shades. This finish tends to retain the highlights in textured surfaces.

Many concrete decks and patios, although still structurally sound, are in need of a facelift. Deck Renew can restore these decks to a like-new appearance, avoiding the need for costly demolition and reconstruction.

Deck Renew is applied using two diluted coats. The first coat soaks in, providing a positive bond while the second coat adds extra wearability.

| DESCRIPTION | PART# |
|-------------------|-----------|
| Lite Sand Buff | DR105P-5G |
| Regular Sand Buff | DR110P-5G |
| Dark Sand Buff | DR115P-5G |
| Dove Grey | DR120P-5G |
| Lite Dove Grey | DR125P-5G |
| Coral Peach | DR140P-5G |
| Buckskin | DR145P-5G |
| Golden Sand | DR160P-5G |
| White | DR165P-5G |
| Burly Wood | DR170P-5G |



SPECIFICATIONS

Coverage approximately:

150-200 square feet per gallon.

Packaged:

1 5 gallon container

Applicator:

Short to medium nap roller

Clean-Up:

Warm soapy water

TO PREPARE DECK

- 1. TSP Wash
- 2. Acid Wash
- 3. TSP Wash
- 4. Pressure Wash

TOUCH-UP KIT



KIT INCLUDES:

- 4 LBS. PRE-MIX (APPROX./ COLORS VARY)
- 3 BOTTLES ADHESIVE
- 1 INSTRUCTION SHEET (ON LABEL)

Can be shipped UPS

COVERAGE: APPROXIMATELY 5 SQ. FT. PER KIT

A repair for Frontier Desert Deck

Touch-Up Kits are easy to use pre-mixed patch kits designed for small repairs of Frontier Desert Deck.

Touch-Up Kits are made from quality materials in full batch quantities to provide consistent and dependable color matches for Frontier Desert Deck colors.

| DESCRIPTION | PART # |
|-------------------|---------|
| Lite Sand Buff | TU105BK |
| Regular Sand Buff | TU110BK |
| Dark Sand Buff | TU115BK |
| Dove Grey | TU120BK |
| Lite Dove Grey | TU125BK |
| Aztec Gold | TU130BK |
| Colorado Gold | TU135BK |
| Coral Peach | TU140BK |
| Buckskin | TU145BK |
| Sun Yellow | TU150BK |
| Rose Pink | TU155BK |
| Golden Sand | TU160BK |
| White | TU165BK |
| Burly Wood | TU170BK |

As conditions and methods of use of our products are beyond our control, we offer these products in good faith but without guarantee either expressed or implied.

FRONTIER BONDING AGENT

Frontier Bonding Agent is a three-stage bonding system used to apply cementitious toppings to existing concrete. The primary coat penetrates into the concrete leaving a completely insoluble membrane once the liquids have evaporated. The second coat is applied after the first coat has dried and effectively seals the surface of the concrete, protecting against uneven suction from the base concrete. The third coat **MUST** be applied to re-wet (or freshen) the surface just prior to applying the topping.

| DESCRIPTION | PART# | |
|-------------|-------|--|
| 1 Gallon | FRBA1 | |
| 5 Gallon | FRBA5 | |
| COVERAGE: | | |

APPROX. 200 SQ. FT. PER GALLON ON FIRST COAT,



FRONTIER DESERT SEAL

Protects Concrete From Freeze/Thaw

Frontier Desert Seal — a colorless, penetrating solution for concrete and Frontier Desert Deck surfaces.

Frontier Desert Seal is a catalytic agent which reacts with free alkaline hydrates by internally producing an aero silica gel which fills the pore spaces and voids left by the evaporative loss of moisture. Frontier Desert Seal does not alter the surface's appearance or physical characteristics of Frontier Desert Deck, but will significantly protect concrete from damage caused by the freeze/thaw cycle.

| DESCRIPTION | PART# |
|--|--------|
| 5 Gallon | DESEAL |
| COVERAGE: APPROX. 300-400 SQ. FT. PER | GALLON |



FIBER-OPTIC II RECEIVER


Install fiber-optics on your coping or stone work

INSTRUCTIONS

- 1. Position Fiber-Optic II Receiver on tile with 3M adhesive.
- 2. Set coping or stone into place.
- 3. Attach Poli-Void to coping or stone with spray adhesive and pour deck.
- 4. After deck has cured remove Poli-Void tear strip and apply Boss Joint Sealant.

NOTE: On tight radii cut the front and back lips of the receiver.

| | FRONTIER SEAL |
|----------|-----------------|
| COPING | POLI-VOID 3.000 |
| | BED MUD |
| TILE | SES MED |
| | |
| ABL-42 & | |





- 112' PER CARTON 8' LENGTHS (Flex Track is also available)
- 1 5 OZ. TUBE OF 3M ADHESIVE



| PART# | DESCRIPTION |
|-------|--|
| 3FOR2 | For Fiberstars FSSB, FSSB-CABL-42 & Supervision SV23 |
| 3FOR6 | For Supervision SV32, SV42, Lumenyte, Fiberstars ELD, BPAK-50, Fiberworks FW 25, FW 50 |
| 3FOR8 | For Fiberworks Ultra Glow 25, 50, 75 |

CANTILEVER STEP KIT

Forming system used to install Cantilever edges on molded, preformed steps. (Liner)

The Cantilever Step Kit attaches mechanically to the top flat surface of the molded, preformed step. This unique design adapts to virtually any preformed step application.


STANDARD STEP KIT INCLUDES:

- 4' STRAIGHT PIECES WITH CLIPS
- PREFORMED CORNERS WITH CLIPS
- 48" AND 2 EACH 36" BRACES
- 25 SCREWS AND WASHERS
- TIE WIRES
- PROFILE EDGING TOOL
- **ROLL BENDING TAPE**

RADIUS STEP KIT FOR RADIUS STEPS (No Corners):

- 5 4' STRAIGHT PIECES
- 50 SCREWS
- 50 WASHERS
- 50 TIE WIRES
- PROFILE EDGING TOOL
- **ROLL BENDING TAPE**

| DESCRIPTION | REGULAR | CAPSTONE | INTERMEDIATE |
|--|------------|------------|--------------|
| STANDARD STEP KIT | 1CSK24 | 9CSK24 | 2CSK24 |
| RADIUS STEP KIT for radius steps (No corners) | 1CSK24-STR | 9CSK24-STR | 2CSK24-STR |





S-CLIP

Liner Receptor used on Above Ground Liner Pools

Stegmeier's S-Clip has a heavier gauge liner bead receiver that resists liner roll-out. This heavy-duty extrusion slips down over the top of the pool wall adding rigidity while holding the liner bead firmly in place. With this design, the stabilizer bar may be clipped over the top of the S-Clip instead of being threaded from the end.

- Heavy-Duty Design
- Stabilizer Bar May Be Clipped Over
- UV-Resistant Material
- 53-Inch Lengths



PACKAGED 40 PIECES PER CARTON



TIE WIRE SIDE KIT

The Tie Wire Side Kit is designed to attach Stegmeier LLC forms to the pool wall. Place the plastic washer on the tie wire and push the tie wire through the form at the proper elevation. Wrap the tie wire around the 1 1/2" concrete nail to secure.

CARTON INCLUDES:

- 100 TIE WIRES
- 100 PLASTIC WASHERS
- 100 1 1/2" CONCRETE NAILS
- 1 ROLL OF BENDING TAPE

| DESCRIPTION | PART # |
|----------------------------------|---------------|
| Tie Wire Side Kit (1 per carton) | CFA001-SINGLE |
| Tie Wire Side Kit (5 per carton) | CFA001 |



PLUMB STRIP SIDE KIT

The Plumb Strip Side Kit is designed to attach Stegmeier LLC forms to a fiberglass pool. Place the plastic washer on the tie wire and push the tie wire through the form at the proper elevation. Wrap the tie wire around the screw or bend over the back edge of the pool lip to secure.

CARTON INCLUDES:

- 100 TIE WIRES
- 100 PLASTIC WASHERS
- 200 SCREWS
- 1 ROLL OF BENDING TAPE

| Plumb Strip Side Kit | CFA050 |
|----------------------|--------|

PACKAGED 1 PER CARTON



TILE STRIP

To be used with Cantilever Forms.

| DESCRIPTION | PART# |
|-------------|--------|
| Black | TILE-B |
| Grey | TILE-G |
| Tan | TILE-T |
| White | TILE-W |

PACKAGED 112' PER CARTON 8' LENGTHS



TILE STRIP FLEX

To be used with Cantilever Forms. Pre cut for flexibility.

| DESCRIPTION | PART # |
|-------------|-------------|
| Black | TILE-B-FLEX |
| Grey | TILE-G-FLEX |
| Tan | TILE-T-FLEX |
| White | TILE-W-FLEX |

PACKAGED 112" PER CARTON 8' LENGTHS



RELEASE AGENT 1 per carton

A water-based release agent that is compatible with expanded polystyrene. (**NOTE:** Do not use release agent where additional toppings, coatings, etc. will be applied).

| DESCRIPTION | PART # |
|------------------------|--------|
| Release Agent - Quart | RA-Q |
| Release Agent - Gallon | RA-G |




DRAIN DOWELS (Fiberglass)

Drain Dowels to be used with two-piece drains.

| DESCRIPTION | PART# |
|---|--------|
| Drain Dowels (12 per carton) – Needed for 40' | DOW-12 |
| Drain Dowels (24 per carton) – Needed for 80' | DOW-24 |

CUT LENGTH

NOTE: The use of proper "PPE" is required when handling fiberglass Drain Dowels.





CLIP-LOC CAPSTONE





CLIP-LOC INTERMEDIATE

DEEP RESIN ROCK



CLIP-LOC REGULAR

RESIN ROCK WITH 1" EXTENDER



POOL COVER E



STAMP-A-FORM



POOL COVER FORM WITH 1-3/4" EXTENDER









TIE WIRE WITH WASHER

QUICK REFERENCE



CANTILEVER PROFILE EXAMPLES





Frontier Desert Deck

Is an additive, available in 14 pastel colors that when mixed with marble sand and white cement and applied properly, produces a "Dash Finish" that is ideal for residential and commercial swimming pool decks.

Reduce the temperature of your deck

Available in 14 colors









Coolness

Because of the pastel shades, texture and marble sand, Frontier Desert Deck is noticeably cooler than broom finish concrete.

Safety

When applied properly, Frontier Desert Deck retains a non skid quality even when wet.

FD105C Lite Sand Buff
FD110C Regular Sand Buff
FD115C Dark Sand Buff
FD120C Dove Grey
FD125C Lite Dove Grey

FD130C Aztec Gold
FD135C Colorado Gold
FD140C Coral Peach
FD145C Buckskin
FD150C Sun Yellow

FD155C Rose Pink
FD160C Golden Sand
FD165C White
FD170C Burly Wood

Packaged: 8 units per carton

This finish tends to retain the highlights in textured surfaces. Covers approx. 250-300 square feet per unit.