Printing date 09/18/2015

Reviewed on 09/18/2015

1 Identification

- · Product identifier
- · Trade name: Deck Renew Dark Sand Buff
- · Article number: DR115P
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: Innovative Concrete Technology Corporation For Stegmeier Corporration 111 West Harris Road Arlington, TX 76001
- · Information department: 1-800-382-5430
- Emergency telephone number: Infotrac; (800) 535-5053 (North America) (352) 323-3500 (International)

2 Hazard(s) identification

· Classification of the substance or mixture



Carc. 1A H350 May cause cancer.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger


	determining components of labeling:
Quartz (
titanium	
	statements
H350 M	ay cause cancer.
· Precauti	onary statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P308+P	313 IF exposed or concerned: Get medical advice/attention.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations. (Contd. on page 2)
	——————————————————————————————————————

Printing date 09/18/2015

Reviewed on 09/18/2015

Trade name: Deck Renew Dark Sand Buff

(Contd. of page 1)



 $\begin{array}{c} \textbf{Health} = 0\\ Fire = 0\\ Reactivity = 0 \end{array}$

· HMIS-ratings (scale 0 - 4)

HEALTH \bigcirc Health = 0FIRE \bigcirc Fire = 0REACTIVITY \bigcirc Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
14808-60-7	Quartz (SiO2)	10-25%
13463-67-7	titanium dioxide	2.5-10%
1332-58-7	Kaolin	2.5-10%

4 First-aid measures

· Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact:
- Remove contact lenses if able to do so.

Rinse opened eye for several minutes under running water.

· After swallowing:

A person vomiting while lying on their back should be turned onto their side. Do not induce vomiting; immediately call for medical help.

- If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed Nausea

Cramp

Gastric or intestinal disorders

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

Printing date 09/18/2015

Reviewed on 09/18/2015

Trade name: Deck Renew Dark Sand Buff

- · Special hazards arising from the substance or mixture Carbon monoxide (CO)
- · Advice for firefighters

· Protective equipment: Do not inhale explosion gases or combustion gases.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- \cdot Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

• *Precautions for safe handling No special precautions are necessary if used correctly.*

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.

• *Information about storage in one common storage facility: Do not store together with oxidizing and acidic materials. Store away from foodstuffs.*

- · Further information about storage conditions: None.
- *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

-	Components with limit values that require monitoring at the workplace: 14808-60-7 Quartz (SiO2)	
	see Quartz listing	
REL	Long-term value: 0.05* mg/m ³ *respirable dust; See Pocket Guide App. A	
TLV	Long-term value: 0.025* mg/m ³ *as respirable fraction	
1332	-58-7 Kaolin	
	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction	
	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction	
	Long-term value: 2* mg/m ³ E; as respirable fraction	
	(Contd. on page 4	

(Contd. of page 2)

Printing date 09/18/2015

Reviewed on 09/18/2015

Trade name: Deck Renew Dark Sand Buff

(Contd. of page 3) • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: · General protective and hygienic measures: Wash hands before breaks and at the end of work. · Breathing equipment: Not required. • Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves Neoprene gloves PVC or PE gloves Nitrile rubber, NBR Butyl rubber, BR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Safety glasses Goggles recommended during refilling.

Information on basic physical and	chemical properties	
General Information		
Appearance: Form:	Liquid	
Form: Color:	Dark Sand Buff	
Odor:	Mild	
Odour threshold:	Not determined.	
pH-value at 20 °C (68 °F):	8.5-9.0	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	

Printing date 09/18/2015

Reviewed on 09/18/2015

Trade name: Deck Renew Dark Sand Buff

		(Contd. of page 4
· Density at 20 °C (68 °F):	1.24 g/cm ³ (10.348 lbs/gal)	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic at 20 °C (68 °F):	87-92 KU	
· Solvent content:		
Organic solvents:	0.0~%	
Water:	20.2 %	
Solids content:	52.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Reacts with strong acids and oxidizing agents.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide Nitrogen oxides

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: Sensitizing effect by skin contact is possible with prolonged exposure.
- · Additional toxicological information:

· Carcinogenic categories

· IARC (Inter	national Agency for Research on Cancer)	
14808-60-7	Quartz (SiO2)	1
13463-67-7	titanium dioxide	28
9002-88-4	Polyethylene	3
9009-54-5	Polyurethane polyether	3
· NTP (Nation	nal Toxicology Program)	
14808-60-7	Quartz (SiO2)	K
	(0	Contd. on page 6)
		USA

Printing date 09/18/2015

Reviewed on 09/18/2015

Trade name: Deck Renew Dark Sand Buff

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
·DOT	Not regulated	
· UN proper shipping name		
·DOT	Not regulated	
· Transport hazard class(es)		
·DOT	Not applicable	
· Packing group		
·DOT	Not applicable	
· Environmental hazards:		
· Marine pollutant:	No	
· Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

(Contd. on page 7)

Printing date 09/18/2015

Reviewed on 09/18/2015

Trade name: Deck Renew Dark Sand Buff

(Contd. of page 6)

Safety, health and environmental regulations/legislation specific for the substance or	[.] mixture
Sara	
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
14808-60-7 Quartz (SiO2)	
13463-67-7 titanium dioxide	
1332-58-7 Kaolin	
29911-28-2 Dipropylene Glycol MonoN Butyl Ether (Glycol Ether DPnB)	
29059-24-3 Propylene Glycol Ester of C19 Fatty Acid	
9002-88-4 Polyethylene	
37251-67-5 Alkoxylated (EO/PO) Linear Alcohol	
9004-62-0 Cetylhydroxyethylcellulose	
9004-32-4 CMC (Carboxymethylcellulose Sodium Salt)	
109-83-1 2-methylaminoethanol	
1309-48-4 magnesium oxide	
111-75-1 2-butylaminoethanol	
126-86-3 2,4,7,9-tetramethyldec-5-yne-4,7-diol	
68131-40-8 C-15 Secondary Alcohol (5 mole) Ethoxylate	
7732-18-5 water, distilled, conductivity or of similar purity	
Proposition 65	
Chemicals known to cause cancer:	
14808-60-7 Quartz (SiO2)	
13463-67-7 titanium dioxide	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicalsknown to cause reproductive toxicity for males.	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value established by ACGIH)	
14808-60-7 Quartz (SiO2)	
13463-67-7 titanium dioxide	
1332-58-7 Kaolin	
1309-48-4 magnesium oxide	

Printing date 09/18/2015

Reviewed on 09/18/2015

Trade name: Deck Renew Dark Sand Buff

	(Contd. of page 7
NIOSH-C	a (National Institute for Occupational Safety and Health)
14808-60-	7 Quartz (SiO2)
13463-67-	7 titanium dioxide
GHS labe	l elements The product is classified and labeled according to the Globally Harmonized System (GHS).
Hazard pi	ctograms
•	
GHS08	
Signal wo	rd Danger
Hazard-de	etermining components of labeling:
Quartz (Si	302)
titanium d	ioxide
Hazard st	atements
H350 May	v cause cancer.
Precaution	nary statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P308+P3.	13 IF exposed or concerned: Get medical advice/attention.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Chemical	safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 09/18/2015 / -

• Abbreviations and acronyms:

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) Carc. 1A: Carcinogenicity, Hazard Category 1A

USA