

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/09/2015

Reviewed on 09/04/2015

1 Identification

- **Product identifier**
- **Trade name:** Deck Renew Dove Gray
- **Article number:** DR120P
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Innovative Concrete Technology Corporation For Stegmeier Corporation
111 West Harris Road
Arlington, TX 76001
- **Information department:** 1-800-382-5430
- **Emergency telephone number:**
Infotrac; (800) 535-5053 (North America)
(352) 323-3500 (International)

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard


Carc. 2 H351 Suspected of causing cancer.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS08

- **Signal word** Warning
- **Hazard-determining components of labeling:**
titanium dioxide
- **Hazard statements**
H351 Suspected of causing cancer.
- **Precautionary statements**
 - P101 If medical advice is needed, have product container or label at hand.
 - P102 Keep out of reach of children.
 - P103 Read label before use.
 - P280 Wear protective gloves/protective clothing/eye protection/face protection.
 - P201 Obtain special instructions before use.
 - P202 Do not handle until all safety precautions have been read and understood.
 - P308+P313 IF exposed or concerned: Get medical advice/attention.
 - P405 Store locked up.
 - P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 0
Fire = 0
Reactivity = 0

(Contd. on page 2)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/09/2015

Reviewed on 09/04/2015

Trade name: Deck Renew Dove Gray

(Contd. of page 1)

- **HMIS-ratings (scale 0 - 4)**

| | | |
|------------|---|----------------|
| HEALTH | 0 | Health = 0 |
| FIRE | 0 | Fire = 0 |
| REACTIVITY | 0 | Reactivity = 0 |

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

| | | |
|------------|-------------------|---------|
| 13463-67-7 | titanium dioxide | 10-25% |
| 37244-96-5 | Nepheline Syenite | 2.5-10% |
| 1332-58-7 | Kaolin | 2.5-10% |

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:**
Remove contact lenses if able to do so.
Rinse opened eye for several minutes under running water.
- **After swallowing:**
A person vomiting while lying on their back should be turned onto their side.
Do not induce vomiting; immediately call for medical help.
If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed**
Nausea
Gastric or intestinal disorders
Cramp
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** Carbon monoxide (CO)
- **Advice for firefighters**
- **Protective equipment:** Do not inhale explosion gases or combustion gases.

USA

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/09/2015

Reviewed on 09/04/2015

Trade name: Deck Renew Dove Gray

(Contd. of page 2)

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:**
Do not store together with oxidizing and acidic materials.
Store away from foodstuffs.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

1332-58-7 Kaolin

| | |
|-----|---------------------------------------------------------------------------------|
| PEL | Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction |
| REL | Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction |
| TLV | Long-term value: 2* mg/m ³ E; as respirable fraction |

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
Neoprene gloves
PVC or PE gloves

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/09/2015

Reviewed on 09/04/2015

Trade name: Deck Renew Dove Gray

(Contd. of page 3)

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**

Safety glasses

Goggles recommended during refilling.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Liquid
Color: Dove Gray

- **Odor:** Mild

- **Odour threshold:** Not determined.

- **pH-value at 20 °C (68 °F):** 8.0-9.0

- **Change in condition**

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 100 °C (212 °F)

- **Flash point:** Not applicable.

- **Flammability (solid, gaseous):** Not applicable.

- **Ignition temperature:**

Decomposition temperature: Not determined.

- **Auto igniting:** Product is not selfigniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**

Lower: Not determined.

Upper: Not determined.

- **Vapor pressure:** Not determined.

- **Density at 20 °C (68 °F):** 1.288 g/cm³ (10.748 lbs/gal)

- **Relative density** Not determined.

- **Vapour density** Not determined.

- **Evaporation rate** Not determined.

- **Solubility in / Miscibility with**

Water: Fully miscible.

- **Partition coefficient (n-octanol/water):** Not determined.

- **Viscosity:**

Dynamic: Not determined.

Kinematic: Not determined.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/09/2015

Reviewed on 09/04/2015

Trade name: Deck Renew Dove Gray

(Contd. of page 4)

| | |
|----------------------------|--------------------------------------------|
| · Solvent content: | |
| Organic solvents: | 0.0 % |
| Water: | 20.0 % |
| · Solids content: | |
| Solids content: | 53.0 % |
| · Other information | No further relevant information available. |

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Reacts with strong acids and oxidizing agents.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**
Nitrogen oxides
Carbon monoxide and carbon dioxide

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

| | | |
|------------|----------------------------|----|
| 13463-67-7 | titanium dioxide | 2B |
| 9002-88-4 | Polyethylene | 3 |
| 9009-54-5 | Polyurethane polyether | 3 |
| 14808-60-7 | Quartz (SiO ₂) | 1 |

· **NTP (National Toxicology Program)**

| | | |
|------------|----------------------------|---|
| 14808-60-7 | Quartz (SiO ₂) | K |
|------------|----------------------------|---|

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/09/2015

Reviewed on 09/04/2015

Trade name: Deck Renew Dove Gray

(Contd. of page 5)

- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|----------------------------------------------------------------------------------|-----------------|
| · UN-Number | |
| · DOT | Not regulated |
| · UN proper shipping name | |
| · DOT | Not regulated |
| · Transport hazard class(es) | |
| · DOT | Not applicable |
| · Packing group | |
| · DOT | Not applicable |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Not regulated |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

13463-67-7 titanium dioxide

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/09/2015

Reviewed on 09/04/2015

Trade name: Deck Renew Dove Gray

(Contd. of page 6)

| | |
|------------|----------------------------------------------------------|
| 1332-58-7 | Kaolin |
| 29911-28-2 | Dipropylene Glycol MonoN Butyl Ether (Glycol Ether DPnB) |
| 29059-24-3 | Propylene Glycol Ester of C19 Fatty Acid |
| 8031-18-3 | Fuller's Earth |
| 9002-88-4 | Polyethylene |
| 37251-67-5 | Alkoxylated (EO/PO) Linear Alcohol |
| 9004-32-4 | CMC (Carboxymethylcellulose Sodium Salt) |
| 9004-62-0 | Cetylhydroxyethylcellulose |
| 14808-60-7 | Quartz (SiO ₂) |
| 7732-18-5 | water, distilled, conductivity or of similar purity |

· **Proposition 65**

· **Chemicals known to cause cancer:**

| | |
|------------|----------------------------|
| 13463-67-7 | titanium dioxide |
| 14808-60-7 | Quartz (SiO ₂) |

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

| | | |
|------------|----------------------------|----|
| 13463-67-7 | titanium dioxide | A4 |
| 1332-58-7 | Kaolin | A4 |
| 14808-60-7 | Quartz (SiO ₂) | A2 |

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

| | |
|------------|----------------------------|
| 13463-67-7 | titanium dioxide |
| 14808-60-7 | Quartz (SiO ₂) |

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS08

· **Signal word** Warning

· **Hazard-determining components of labeling:**

titanium dioxide

· **Hazard statements**

H351 Suspected of causing cancer.

· **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/09/2015

Reviewed on 09/04/2015

Trade name: Deck Renew Dove Gray

(Contd. of page 7)

- P102 *Keep out of reach of children.*
- P103 *Read label before use.*
- P280 *Wear protective gloves/protective clothing/eye protection/face protection.*
- P201 *Obtain special instructions before use.*
- P202 *Do not handle until all safety precautions have been read and understood.*
- P308+P313 *IF exposed or concerned: Get medical advice/attention.*
- P405 *Store locked up.*
- P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of preparation / last revision** 09/09/2015 / -

· **Abbreviations and acronyms:**

ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 Carc. 2: Carcinogenicity, Hazard Category 2

USA