Printing date 10/29/2015 Reviewed on 10/29/2015

#### 1 Identification

· Product identifier

· Trade name: Deck Renew Burlywood

· Article number: DR-170P

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Innovative Concrete Technology Corporation For Stegmeier Corporration

111 West Harris Road Arlington, TX 76001

· Information department: 1-800-382-5430

· Emergency telephone number:

Infotrac; (800) 535-5053 (North America) (352) 323-3500 (International)

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS08

- · Signal word Warning
- · Hazard-determining components of labeling:

titanium dioxide

· Hazard statements

H351 Suspected of causing cancer.

· Precautionary statements

*P280* Wear protective gloves/protective clothing/eye protection/face protection.

*P201 Obtain special instructions before use.* 

P202 Do not handle until all safety precautions have been read and understood.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0Reactivity = 0

(Contd. on page 2)

(Contd. of page 1)

## Safety Data Sheet acc. to OSHA HCS

Printing date 10/29/2015 Reviewed on 10/29/2015

Trade name: Deck Renew Burlywood

· HMIS-ratings (scale 0 - 4)

 $\begin{array}{c|cccc} \textbf{HEALTH} & \textbf{0} & Health = 0 \\ \textbf{FIRE} & \textbf{0} & Fire = 0 \\ \textbf{REACTIVITY} & \textbf{0} & Reactivity = 0 \\ \end{array}$ 

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
13463-67-7	titanium dioxide	10-25%
37244-96-5	Nepheline Syenite	2,5-10%
1332-58-7	Kaolin	2,5-10%

#### 4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Remove contact lenses if able to do so.

Rinse opened eye for several minutes under running water.

· After swallowing:

A person vomiting while lying on their back should be turned onto their side.

Do not induce vomiting; immediately call for medical help.

If symptoms persist consult doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

Nausea

Gastric or intestinal disorders

Cramp

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture Carbon monoxide (CO)
- · Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.

US

Printing date 10/29/2015 Reviewed on 10/29/2015

Trade name: Deck Renew Burlywood

(Contd. of page 2)

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility:

Do not store together with oxidizing and acidic materials.

Store away from foodstuffs.

- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 1332-58-7 Kaolin

PEL Long-term value: 15\* 5\*\* mg/m³
\*total dust \*\*respirable fraction

REL Long-term value: 10\* 5\*\* mg/m³
\*total dust \*\*respirable fraction

TLV Long-term value: 2\* mg/m³

- E; as respirable fraction
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Neoprene gloves

PVC or PE gloves

(Contd. on page 4)

Printing date 10/29/2015 Reviewed on 10/29/2015

Trade name: Deck Renew Burlywood

(Contd. of page 3)

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses

Goggles recommended during refilling.

Information on basic physical and	chemical properties	
General Information		
Appearance:	**	
Form:	Liquid	
Color:	Burlywood	
Odor:	Mild	
Odour threshold:	Not determined.	
pH-value at 20 °C (68 °F):	8.0-9.0	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	1.288 g/cm³ (10.748 lbs/gal)	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	(er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	

(Contd. on page 5)

Printing date 10/29/2015 Reviewed on 10/29/2015

Trade name: Deck Renew Burlywood

Contd. of page 4)

Solvent content:
Organic solvents:
0.0 %
Water:
20.0 %

Solids content:
53.0 %
No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Reacts with strong acids and oxidizing agents.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:

Nitrogen oxides

Carbon monoxide and carbon dioxide

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- $\cdot$  on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories

· IARC (Inte	ernational Agency for Research on Cancer)	
13463-67-2	7 titanium dioxide	2B
9002-88-	4 Polyethylene	3
9009-54	5 Polyurethane polyether	3
14808-60-2	7 Quartz (SiO2)	1
· NTP (Nati	onal Toxicology Program)	
14808-60-2	7 Quartz (SiO2)	K
· OSHA-Ca	(Occupational Safety & Health Administration)	
None of the	e ingredients is listed.	

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 6)

Printing date 10/29/2015 Reviewed on 10/29/2015

Trade name: Deck Renew Burlywood

(Contd. of page 5)

- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
UN-Number DOT	Not regulated
UN proper shipping name DOT	Not regulated
Transport hazard class(es)	
DOT	Not applicable
Packing group DOT	Not applicable
Environmental hazards:	
Marine pollutant:	No
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
UN "Model Regulation":	Not regulated

#### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

13463-67-7 titanium dioxide

(Contd. on page 7)

Printing date 10/29/2015 Reviewed on 10/29/2015

Trade name: Deck Renew Burlywood

	(Contd. of page 6)
1332-58-7	7 Kaolin
29911-28-2	Dipropylene Glycol MonoN Butyl Ether (Glycol Ether DPnB)
29059-24-3	Propylene Glycol Ester of C19 Fatty Acid
8031-18-3	Fuller's Earth
9002-88-4	4 Polyethylene
37251-67-3	5 Alkoxylated (EO/PO) Linear Alcohol
9004-32-4	4 CMC (Carboxymethylcellulose Sodium Salt)
9004-62-0	Cetylhydroxyethylcellulose
14808-60-7	Quartz (SiO2)
7732-18-3	water, distilled, conductivity or of similar purity
· Proposition	n 65

· Chemicals known to cause cancer:	
13463-67-7	titanium dioxide
14808-60-7	Quartz (SiO2)

### · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicalsknown to cause reproductive toxicity for males.

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

### · EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### · TLV (Threshold Limit Value established by ACGIH)

13463-67-7	titanium dioxide	A4
1332-58-7	Kaolin	A4
14808-60-7	Quartz (SiO2)	A2

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

· MOSH-Ca	National Institute for Occupational Safety and Heatin)
13463-67-7	titanium dioxide
14808-60-7	Quartz (SiO2)

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

titanium dioxide

· Hazard statements

H351 Suspected of causing cancer.

· Precautionary statements

*P280* Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 8)

(Contd. of page 7)

### Safety Data Sheet acc. to OSHA HCS

Printing date 10/29/2015 Reviewed on 10/29/2015

Trade name: Deck Renew Burlywood

P201 Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

P202

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Date of preparation / last revision 10/29/2015 / -
- · Abbreviations and acronyms:

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

Carc. 2: Carcinogenicity, Hazard Category 2

HS